

CONNECTION TO COUNCIL SERVICES



PLEASE MAKE SURE ALL INFORMATION REQUESTED ON PAGE 2 & 3 IS INCLUDED WITHIN YOUR APPLICATION

Name of Property Owner:			
Contact Person / All trustee names:			
APPLICANT DETAILS // For	invoicing		
Phone Numbers: Day		Mobile:	
Email Address:			
Postal Address:			Post code:
CORRESPONDENCE DETA	ILS // If different than above a	pplicant details – E.g. consultant, a	agent or architect
Name & Company:			
Phone Numbers: Day		Mobile:	
Email Address:			
	onding with you are by email and p	hone.	
The decision will be sent to the C	Correspondence Details via email .		
	correspondence Details via email .		
	ion of site to be serviced		
DETAILS OF SITE // Locati	ion of site to be serviced		
DETAILS OF SITE // Locati	ion of site to be serviced		
DETAILS OF SITE // Location to which this application	ion of site to be serviced n relates:	e – e.g Lot x DPxxx (or valuation	n number)
DETAILS OF SITE // Locati	ion of site to be serviced n relates:	e – e.g Lot x DPxxx (or valuation	n number)
DETAILS OF SITE // Location to which this application	ion of site to be serviced n relates:	e – e.g Lot x DPxxx (or valuation	n number)
DETAILS OF SITE // Location to which this application	ion of site to be serviced n relates:	e – e.g Lot x DPxxx (or valuation	n number)



NATURE OF CONNECTION TO SERVICE REQUIRED - PLAN MUST BE INCLUDED SHOWING CONNECTION POINT

st processing:			refer A & B refer A & D refer A & C refer A & E
st processing:			refer A & C
st processing:			
st processing:			refer A & E
st processing:			
NFORMATION			

 Initial fees are based on expected processing time and one site visit, provided clear detailed information is submitted by the applicant. Any further costs generated will be invoiced on a time basis. Return inspections as a result of non-complying initial inspections may be additionally billed to the owner/applicant named above based on time taken. 			·
	tion. cle crossing and sewer connections d on expected processing time and her costs generated will be invoiced as a result of non-complying initial	tion. Ile crossing and sewer connections is \$341.50+ \$143 = \$484. In on expected processing time and one site visit, provided of the costs generated will be invoiced on a time basis. In as a result of non-complying initial inspections may be addition.	tion. The crossing and sewer connections is \$341.50+ \$143 = \$484.50 total. The don expected processing time and one site visit, provided clear detailed information is submit her costs generated will be invoiced on a time basis. The as a result of non-complying initial inspections may be additionally billed to the owner/application.

Ċ	
Ş	

I confirm payment by:	Bank transfer to account 02 0948 0002000 00 reference CCS# and Street Address (If paying from overseas swiftcode – BKNZNZ22)
	Invoice for initial fee requested and payment to follow
Reference Used:	
Fee Required:	Fees as per Resource Consent & Engineering Fees & Other Charges
Date of Payment:	

A

STANDARD CONIDITIONS FOR ALL APPLICATIONS

- No work shall proceed until the applicant is in receipt of approved application.
- The work shall be carried out by a Contractor approved by the Queenstown Lakes District Council
- The cost of restoration of services or property damaged during the course of the work shall be the responsibility of the applicant.
- The applicant shall be responsible for contacting the appropriate Utility Operator and arranging for the location of any underground services in the proposed work area.
- The applicant shall arrange to reinstate all Council Road and Footpath services, where applicable, to the Council's satisfaction at the applicants own cost and shall advise the Council in writing of the date this restoration work is complete.
- Materials, equipment and method of construction shall be to Council's standards applicable at the time of application.
- The applicant shall be solely responsible for the adequacy of all restoration works for a period of twelve months following their completion.
- As built plans are required at the time of inspection.

An Acuflo* GM900 toby with AM8003 and AM8350 valve box combination and box or other prior approved toby valve and box shall be brought to ground level as close as practicable to the boundary. An Elster PSM V100 or Sensus 620 water meter shall be installed on to the Acuflo manifold. Wanaka and Queenstown only water meters shall be provided to Council's maintenance contractor Veolia. If water supply is intended for irrigation or pool/spa water supply medium testable back flow plus water meter is required. Minimum depth of service shall be 600mm at any point within the road corridor, unless approved special protection is provided. The Council's water mains shall only be turned off by the Council's maintenance contractor and is subject to an additional charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water system. PIPED SEWER CONNECTION An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owner's responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve commercial or industrial premises Drains serve more than 2 residential dwelling units Drains serve more than 2 residential dwelling units Drains serve ommercial or industrial premises Drains serve ommercial or industrial premises Drains serve omercial or industrial p			WATER SUPPLY CONNECTION	
water meters shall be provided to Council's maintenance contractor Veolia. If water supply is intended for irrigation or pool/spa water supply medium testable back flow plus water meter is required. Minimum depth of service shall be 600mm at any point within the road corridor, unless approved special protection is provided. The Council's water mains shall only be turned off by the Council's maintenance contractor and is subject to an additional charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water system. PIPED SEWER CONNECTION An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve more than 2 residential dwelling units Drains serve wore than 2 residential dwelling units Drains serve wore than 2 residential dwelling units Drains serve by a provided or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction detail		•		
Minimum depth of service shall be 600mm at any point within the road corridor, unless approved special protection is provided. The Council's water mains shall only be turned off by the Council's maintenance contractor and is subject to an additional charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water system. C PIPED SEWER CONNECTION An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwaterenters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required		•	· · · · · · · · · · · · · · · · · · ·	
provided. The Council's water mains shall only be turned off by the Council's maintenance contractor and is subject to an additional charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water system. PIPED SEWER CONNECTION An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sever main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dowelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls		•	If water supply is intended for irrigation or pool/spa water supply medium testable back flow plus water meter is required.	
charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water system. PIPED SEWER CONNECTION An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed		•		
An approved cleaning eye / inspection point brought to ground level shall be provided on the property as close as practicable to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. EVEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed		•	charge (15 DAY MINIMUM NOTICE REQUIRED). It is an offence to introduce contaminants into Council's potable water	
to the boundary. The property owner is responsible for the cost of clearing all future blockages that may occur between the property boundary and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. EVEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed	C		PIPED SEWER CONNECTION	
and the sewer main. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed		•		
It is the property owners' responsibility to ensure that only sewage enters the sewerage system. It is an offence to dispose of stormwater though a sewerage drain. STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed		•		
STORMWATER CONNECTION An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed		•	Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided.	
 An approved inspection point shall be provided on the property as close as practicable to the boundary where: Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed 		•		
 Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose of sewage or sullage water through a stormwater drain. Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided. VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed 	D		STORMWATER CONNECTION	
VEHICLE CROSSING APPLICATION A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed			 Drains serve more than 2 residential dwelling units Drains serve commercial or industrial premises Drains receive yard or subsoil drainage It is the property owners' responsibility to ensure that only stormwater enters the drainage system. It is an offence to dispose 	
 A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed 				
 Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls Surfacing material proposed 		•	Minimum cover as per code of practice at any point within the road corridor unless approved special protection is provided.	
	Ε	•		
	E		A site plan is required to be submitted with the application showing: Dimensions of crossing requested (including construction details) from edge of existing carriageway to the property boundary The design of any vehicle crossing shall be in accordance with the District Plan Location of crossing in relation to site boundaries, existing intersections, include any trees located in road reserve on plan Speed limit of roads Any structures required within road reserve including retaining walls	

- Location of water take and a screen shot of locality
- Volume for each fill
- Number of fills per day
- Max flow rate
- $\bullet \ \ \text{Medium Testable Backflow prevention plus water meter is required}.$
- Traffic Management Plan or justification of why it is not required

The applicant shall provide a site plan which shall clearly show the location and position of proposed connection(s) and depth required below ground level at the property boundary. Also <u>state size of connection required</u>.

Should approval be granted for the above, I agree to abide by the conditions of the approval listed on the reverse of this form. I also agree that no work shall proceed until I am in receipt of the approved application.

Development Contributions may be calculated as a result of this application for increased demand placed upon Council Infrastructure. These will be calculated and invoiced to the owner. Connection to any Council Service cannot be made until any Development Contribution has been paid.

Any new water, wastewater or stormwater connections may result in an increase in rates. For further information please contact rates@qldc.govt.nz

Be aware that this application may trigger the need for a Road Opening Notice. Any approval letter will advise you in this regard.

Please send your completed application to: engineeringapprovals@qldc.govt.nz

APPLICATION & DECLARATION

The Council relies on the information contained in this application being complete and accurate. The Applicant must take all reasonable steps to ensure that it is complete and accurate and accepts responsibility for information in this application being so.

If lodging this application as the Applicant:

I/we hereby represent and warrant that I am/we are aware of all of my/our obligations arising under this application including, in particular but without limitation, my/our obligation to pay all fees and administrative charges (including debt recovery and legal expenses) payable under this application as referred to within the Fees Information section.

If lodging this application as agent of the Applicant:

I/we hereby represent and warrant that I am/we are authorised to act as agent of the Applicant in respect of the completion and lodging of this application and that the Applicant/ Agent whose details are in the invoicing section is aware of all of his/ her/its obligations arising under this application including, in particular but without limitation, his/her/ its obligation to pay all fees and administrative charges (including debt recovery and legal expenses) payable under this application as referred to within the Fees Information section

	Signed (by or as authorised agent of the Applicant) **		
Full name of person lodging this form			
	Firm/Company	Dated	

**If this form is being completed on-line you will not be able, or required, to sign this form and the on-line lodgement will be treated as confirmation of your acknowledgement and acceptance of the above responsibilities and liabilities and that you have made the above representations, warranties and certification.

FOR OFFICE USE ONLY - QLDC to complete			
Fees Payable: Initial Connection: \$341.50			
@ \$143 Additional Connections:	Sighted:		
Total Deposit: \$	Comments if new connection:		
Receipt No:	Application Approved:		
Application Approved by:	Date:		
Date:			
Signed on behalf Queenstown Lakes District Council			



OR·

PRIVACY INFORMATION

The information you have provided on this form is required so that your application can be processed. The information and application documents will be stored on a public register and may be made available to the public on request or on the Council's websites.



