29 Transport

This table identifies new provisions sought to be added:

Appellant Court Number	Provision/s Sought to be Added into Chapter 29
B Giddens Trust ENV-2019-CHC-063 Appeal Withdrawn	Apply parking standards to alternate zonings (e.g. the Local Shopping Centre Zone, High, Medium Density and/or Business Mixed Use Zonings) consistent with that applying to the town centre zones in the district. This includes removal of the car parking requirements in Table 1, for such zones
B Giddens Trust ENV-2019-CHC-063 Appeal Withdrawn	"Add a new ""parking reduction adjustment factor"" provisions to the transport chapter for all zones that enable a percentage reduction in the car parking requirements for activities which are located: (i) 200m from a public transport route (25% reduction); (ii) 50m from a public parking facility (15% reduction) (iii) 100m from Town Centre or Local shopping Centre Zone (15% reduction) (iv) 50m from a major cycle trail (10% reduction) "
Wayfare Group Ltd ENV 2019 CHC 076 (consent order issued)	Delete reference to "public" or amend definition of "public" to include commercially owned passenger transport services and infrastructure.
Wayfare Group Ltd ENV-2019-CHC-076 Consent order issued	Definition of Public water ferry service Means a ferry service for the carriage of passengers for hire or reward, which is available to the public generally and is operated to a fixed regular schedule, including during normal commuting hours, runs between various stops and provides the ability for passengers to embark and disembark from the vessel at those various stops, but does not include any such service that: · is contracted or funded by the Ministry of Education for the sole or primary purpose of transporting school children to and from school; or · is operated for the sole or primary purpose of transporting passengers to or from a predetermined event. The definition is limited to that part of the ferry service that occurs on the surface of the water and excludes any associated activity that occurs on land or on a structure attached to land, including the lake bed.
Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued)	Add new policies 29.2.1.X: 29.2.1.x "Acknowledge the potential need to establish park and ride facilities to ease traffic into and around the Queenstown Town Centre to reduce private vehicle use" 29.2.1.x Accommodate and facilitate changes in transport technology when they arise and encourage any infrastructure required to enable future transport technology.
Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued)	Insert new policy under Objective 29.2.1 as follows: 29.2.1.x Across the district, encourage the provision of drop-off and pickup areas for shared, public and active transport. Also amend Policy 29.2.1.6: Facilitate private coach transport as a form of large scale shared transport, through enabling the establishment of off-site or non-accessory coach parking and pick-up and drop-off areas for tourism related activities in specified zones and by allowing visitor accommodation activities to provide coach parking off-site.
Wayfare Group Ltd ENV-2019-CHC-076 Consent order issued	Inclusion of "the benefits of the proposal" in matters which Council has restricted its discretion.

Safari Group of Companies Ltd ENV-2019-CHC-054	Insert new policy 29.2.1.7 as follows:
	Recognise that reducing the provision of car parks within multi unit residential
Appeal Withdrawn	and visitor accommodation developments, where they are located in proximity to public and active transport connections, supports modal shift and reduces
	the dependency on private motor vehicles.
	Amendments as identified in an appendix to the submission, to the extent that the Decision did not provide the relief sought or otherwise address the issues raised in the original submission.
Cardrona Cattle Company Limited ENV-2021-CHC-034	Site-specific relief as part of a requested rezoning:
	Add site specific objectives, policies, rules and other methods to provide for the Victoria Flats industrial zone

29.1 Purpose

The purpose of this chapter is to manage works within the road, manage the development of transport infrastructure both on and off roads, and to require that land-use activities are undertaken in a manner that maintains the safety and efficiency of the transport network as a whole and contributes positively to improving the public and active transport networks. The chapter also establishes the strategy for car parking in the District.

A well-managed transport network needs to be safe and efficient and provide for all modes of transport. As a result, it will facilitate compact and efficient land-use, which will contribute positively to limit increases in the use of fossil fuels and greenhouse gas emissions.

Chapter 29 is limited to the management of land and water based transport and does not contain provisions relating to air transport. Provisions relating to air transport are located primarily in Chapter 17 (Airport Zone), along with Chapters 2 (Definitions), 21 (Rural Zone), 22 (Rural Living), 24 (Wakatipu Basin), 35 (Temporary Activities), 37 (designations), and 41 (Jacks Point).

Purpose 29.1 and relief sought	Appellant Court Number
Amend 29.1 Purpose: The purpose of this chapter is to manage works within the road, manage the development of transport infrastructure both on and off roads, and to require that land-use activities are undertaken in a manner that maintains the safety and efficiency of the transport network as a whole and contributes positively to improving the public and active transport networks. The chapter also establishes the strategy for car parking in the district.	Well Smart Investments Group ENV 2019 CHC 062 (consent order issued)

29.2 Objectives and Policies

29.2.1 Objective - An integrated, safe, and efficient transport network that:

- a. provides for all transport modes and the transportation of freight;
- b. provides for future growth needs and facilitates continued economic development;
- c. reduces dependency on private motor vehicles and promotes the use of shared, public, and active transport;
- d. contributes towards addressing the effects on climate change;

- e. reduces the dominance and congestion of vehicles, particularly in the Town Centre zones; and
- f. Enables the significant benefits arising from public walking and cycling trails.

Objective 29.2.1 and relief sought	Appellant Court Number
Amend Objective 29.2.1 as follows:	Well Smart
	Investments Group
c. reduces dependency on private motor vehicles and promotes the use of shared, public, and	ENV 2019 CHC 062
active transport including through the management of car parking;	Consent order issued

Policies

- 29.2.1.1 Require that transport networks including active transport networks, are well-connected and specifically designed to:
 - a. enable an efficient public transport system;
 - b. reduce travel distances and improve safety and convenience through discouraging single connection streets; and
 - c. provide safe, attractive, and practical walking and cycling routes between and within residential areas, public facilities and amenities, and employment centres, and to existing and planned public transport.

Policy 29.2.1.1 and relief sought	Appellant Court Number
Policy 29.2.1.1 29.2.1.1 Require that transport networks including active transport networks, are well-connected and specifically designed to: a. enable an efficient public transport system; b. reduce travel distances and improve safety and convenience through discouraging single connection streets; and c. provide safe, attractive, and practical walking and cycling routes between and within residential areas, public facilities and amenities, and employment centres, and to existing and planned public transport. d. provide sufficient coach storage in and around the Queenstown Town Centre.	Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued)

- 29.2.1.2 Recognise the importance of expanded public water ferry services as a key part of the transport network and enable this by providing for park and ride, public transport facilities, and the operation of public water ferry services.
- 29.2.1.3 Provide a roading network within the Town Centre zones that supports the zones becoming safe, high quality pedestrian dominant places and enable the function of such roads to change over time.

Policy 29.2.1.3 and relief sought	Appellant Court Number
Policy 29.2.1.3 Provide a roading network within and at the edge of the Town Centre zones that supports the zones becoming safe, multimodal high quality pedestrian dominant places and enable	Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued)
the function of such roads to change over time.	

- 29.2.1.4 Acknowledge the potential need to establish new public transport corridors beyond existing roads in the future, particularly between Frankton and the Queenstown Town Centre.
- 29.2.1.5 Enable and encourage the provision of electric vehicle (EV) charging points/parking spaces within non-accessory parking, within roads where appropriate, as part of Park and Ride, and in association with accessory parking related to High Traffic Generating Activities.
- 29.2.1.6 Facilitate private coach transport as a form of large scale shared transport, through:
 - a. enabling the establishment of off-site or non-accessory coach parking in specified zones;
 - b. allowing visitor accommodation activity to provide coach parking off-site;
 - recognising that off-site or non-accessory coach parking is anticipated in the commercial precincts of the Settlement zones provided that it is appropriately located and designed; and
 - d. providing for off-site or non-accessory coach parking seeking to establish outside of specified zones only where the site location and design measures mitigate adverse effects on the transport network, amenity of neighbouring sites, and the quality of the streetscape and pedestrian environment.
- 29.2.1.7 Recognise that shared and commercially owned and operated transport services can complement active and public transport to achieve an efficient transport network.
- 29.2.1.8 Acknowledge the benefits of drop-off and pickup areas for shared transport, public transport and active transport, where appropriately located.

Advice note: the policies under Objectives 29.2.2; 29.2.3, and 29.2.4 also contribute to this Objective 29.2.1.

- 29.2.2 Objective Parking, loading, access, and onsite manoeuvring that are consistent with the character, scale, intensity, and location of the zone and contributes toward:
 - a. providing a safe and efficient transport network;
 - b. compact urban growth;
 - c. economic development;
 - d. facilitating an increase in walking and cycling and the use of public transport; and
 - e. achieving the level of residential amenity and quality of urban design anticipated in the zone.

Policies

- 29.2.2.1 Manage the number, pricing, location, type, and design of parking spaces, queuing space, access, and loading space in a manner that:
 - is safe and efficient for all transport modes and users, including those with restricted mobility, and particularly in relation to facilities such as hospitals, educational facilities, and day care facilities;
 - b. is compatible with the classification of the road by:

- ensuring that accesses and new intersections are appropriately located and designed and do not discourage walking and cycling or result in unsafe conditions for pedestrians or cyclists;
- (ii) avoiding heavy vehicles reversing off or onto any roads; and
- (iii) ensuring that sufficient manoeuvring space, or an alternative solution such as a turntable or car stacker, is provided to avoid reversing on or off roads in situations where it will compromise the effective, efficient, and safe operation of roads.
- c. contributes to an increased uptake in public transport, cycling, and walking in locations where such alternative travel modes either exist; are identified on any Council active transport network plan or public transport network plan; or are proposed as part of the subdivision, use, or development;
- d. provides sufficient parking spaces to meet demand in areas that are not well connected by public or active transport networks and are not identified on any Council active or public transport network plans;
- e. provides sufficient onsite loading space to minimise congestion and adverse visual amenity effects that arise from unmanaged parking and loading on road reserves and other public land;
- f. is compatible with the character and amenity of the surrounding environment, noting that exceptions to the design standards may be acceptable in special character areas and historic management areas;
- g. avoids or mitigates adverse effects on the amenity of the streetscape and adjoining sites; and
- h. provides adequate vehicle access width and manoeuvring for all emergency vehicles.

Policy 29.2.2.1 and relief sought	Appellant Court Number
Policy 21.2.2.1	Safari Group of
f. is compatible with	Companies Ltd
g. Recognises that exceptions to design standards may be acceptable for on site parking areas,	ENV-2019-CHC-054
including basements for multi unit residential and visitor accommodation developments,	
where level of safety is acceptable and effects are contained on site;	Appeal Withdrawn
gh. avoids or mitigates adverse effects on the amenity of the streetscape and adjoining sites;	

29.2.2.2 Discourage accessory parking in the Town Centre zones in order to support the growth, intensification, and improved pedestrian amenity of these zones.

Policy 29.2.2.2 and relief sought	Appellant Court Number
Amend Policy 29.2.2.2:	Wayfare Group Ltd
Discourage accessory parking in the Town Centre zones in order to support the growth,	ENV 2019 CHC 076
intensification, and improved pedestrian amenity of these zones, other than where	Consent order issued
accessory parking is required to support the activities identified in Policy 29.2.2.3.	

29.2.2.3 Require that a lower amount of accessory parking be provided for residential flats district wide, and for residential and visitor accommodation activity in the Town Centre, Local Shopping Centre, Business Mixed Use, High Density Residential, and Medium

Density Residential zones and in the Jacks Point Village Area of the Jacks Point Zone compared to other zones in order to:

a. support intensification and increased walking, cycling, and public transport use, and b.in recognition of the land values, high pedestrian flows, amenity, accessibility, and existing and anticipated density of these zones.

Policy 29.2.2.3 and relief sought	Appellant Court Number
Extend policy to other areas and all land uses rather than for just residential flat, residential and visitor accommodation.	Wayfare Group Ltd ENV-2019-CHC-076 Consent order issued
Policy 29.2.2.3	Safari Group of
Require that a Recognise the benefits of a lower amount of accessory parking be provided for	Companies Ltd
residential flats district wide, and for residential and visitor accommodation activity in the	ENV 2019 CHC 054
Town Centre, Local Shopping Centre, Business Mixed Use, High Density Residential, and	
Medium Density Residential zones and in the Jacks Point Village Area of the Jacks Point Zone	Appeal Withdrawn
compared to other zones in order tothat:	
Amend Policy 29.2.2.3:	Well Smart
Enable accessory parking to be Require that a lower amount of accessory parking be provided	Investments Group
for at levels necessary to support the following activities: residential flats district wide, and	ENV-2019-CHC-062
for residential and visitor accommodation activity in the Town Centre, Local Shopping Centre,	Consent order issued
Business Mixed Use, High Density Residential, and Medium Density Residential zones and in	
the Jacks Point Village Area of the Jacks Point Zone (including at lower levels when compared	
to other zones <u>)</u> in order to:	

29.2.2.4 Enable some of the parking required for residential and visitor accommodation activities and for residential and visitor accommodation activities in the Business Mixed Use Zone to be provided off-site provided it is located in close proximity to the residential or visitor accommodation activity it is associated with and is secured through legal agreements.

Policy 29.2.2.4 and relief sought	Appellant Court Number
Policy 29.2.2.4	Safari Group of
Enable some of the parking required for residential and visitor accommodation activities, and	Companies Ltd
for residential and visitor accommodation activities in the Business Mixed Use Zone, including	ENV-2019-CHC-054
coach parking, to be provided off-site provided it is located in close proximity to the residential	
or visitor accommodation activity it is associated with and is secured through legal	Appeal Withdrawn
agreements.	

- 29.2.2.5 Enable a reduction in the minimum number of car parking spaces required only where:
 - a. There will be positive or only minor adverse effects on the function of the surrounding transport network and amenity of the surrounding environment; and/ or
 - there is good accessibility by active and/or public transport and the activity is designed to encourage public and/or active transport use and projected demand can be demonstrated to be lower than the minimum required by the rules; and/or
 - the characteristics of the activity or the site justify less parking and projected demand can be demonstrated to be lower than the minimum required by the rules and/ or

d. there is an ability for shared or reciprocal parking arrangements to meet on-site car parking demands at all times and demand can be demonstrated to be lower than the minimum required by the rules.

Policy 29.2.2.5 and relief sought	Appellant Court Number
Policy 29.2.2.5	Safari Group of
Enable a reduction in the minimum number of car parking spaces required only where:	Companies Ltd
d. there is an ability for shared or reciprocal parking arrangements to meet on-site car parking	ENV-2019-CHC-054
demands at all times and projected demand can be demonstrated to be lower than the	
minimum required by the rules.	Appeal Withdrawn
e. It is demonstrated that a reduction in car parks will increase efficiency and enable increased	
density, while reducing effects on amenity and supporting reduced dependence on private	
<u>vehicles.</u>	
Amend Policy 29.2.2.5:	Well Smart
Enable a reduction in the minimum number of car parking spaces required only where:	Investments Group
	ENV-2019-CHC-062
	Consent order issued

- 29.2.2.6 Provide for non-accessory parking, excluding off-site parking, only where:
 - the amount, location, design, and type of parking will consolidate and rationalise the provision of parking for a particular locality and result in more efficient landuse or better enable the planned growth and intensification enabled by the zone;
 and
 - b. there is an existing or projected undersupply of parking to service the locality and providing additional parking and the pricing of that parking will not undermine the success of public transport systems or discourage people from walking or cycling
- 29.2.2.7 Discourage non-accessory parking and off-site and non-accessory coach parking in the Queenstown, Arrowtown, and Wānaka Town Centre zones other than on sites at the edge of the zone.
- 29.2.2.8 Require Park and Ride and public transport facilities to be located and designed in a manner that:
 - a. is convenient to users;
 - b. is well connected to public and active transport networks;
 - c. improves the operational efficiency of the existing and future public transport network; and
 - d. extends the catchment of public transport users.
 - e. makes it accessible and safe for users, including pedestrians and cyclists within and beyond the facility;
 - f. provides an integrated and attractive interface between the facility and adjacent streets and public open spaces;
 - g. mitigates effects on the residential amenity of adjoining properties, including effects from noise, vehicle emissions, and visual effects; and
 - h. minimises adverse effects on the operation of the transport network.
- 29.2.2.9 Non-accessory parking and off-site parking facilities are to be designed, managed, and operated in a manner that:

- a. makes it accessible and safe for users, including pedestrians and cyclists within and beyond the facility;
- b. provides an integrated and attractive interface between the facility and adjacent streets and public open spaces;
- c. mitigates effects on the residential amenity of adjoining properties, including effects from noise, vehicle emissions, and visual effects; and
- d. minimises adverse effects on the operation of the transport network.
- 29.2.2.10 Prioritise pedestrian movement, safety, and amenity in the Town Centre zones, particularly along the main pedestrian streets, by discouraging the provision of off-street parking other than on the edge of the zones and discouraging the provision of on-site loading along these streets.

Policy 29.2.2.10 and relief sought	Appellant Court Number
Policy 29.2.2.10:	Safari Group of
Prioritise pedestrian movement, safety, and amenity in the Town Centre and high density	Companies Ltd
zones, particularly along the main pedestrian streets, by discouraging the provision of off-	ENV-2019-CHC-054
street parking other than on the edge of the zones and discouraging the provision of on-site	
loading along these streets.	Appeal Withdrawn

29.2.2.11 Mitigate the effects on safety and efficiency arising from the location, number, width, and design of vehicle crossings and accesses, particularly in close proximity to intersections and adjoining the State Highway, while not unreasonably preventing development and intensification.

Policy 29.2.2.11 and relief sought	Appellant Court Number
Policy 29.2.2.11 Mitigate the effects on safety and efficiency arising from the location, number, width, and design of vehicle crossings and accesses, particularly in close proximity to intersections and adjoining the State Highway, while not unreasonably preventing development and intensification or promoting poor amenity outcomes.	Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued)

29.2.3 Objective - Roads that facilitate continued growth, are safe and efficient for all users and modes of transport and are compatible with the level of amenity anticipated in the adjoining zones.

Policies

- 29.2.3.1 Establish design standards for roads and accesses, including those in Table 3.2 of the QLDC Land Development and Subdivision Code of Practice (2018), and require adherence to those standards unless it can be demonstrated that the effects of the proposed design on:
 - a. the active and public transport networks and the efficiency and safety of the roading network are no more than minor; and

b. amenity values, urban design and landscape values are appropriately mitigated.

Policy 29.2.3.1 and relief sought	Appellant Court Number
Amend Policy 29.2.3.1: Establish design standards for roads and accesses, including those in Table 3.2 of the QLDC Land Development and Subdivision Code of Practice (2018), and require adherence to those standards unless it can be demonstrated that the effects of the proposed design on the active and public transport networks, amenity values, urban design, landscape values, and the efficiency and safety of the roading network are no more than minor or can otherwise be appropriately avoided, remedied or mitigated.	Well Smart Investments Group ENV-2019-CHC-062 (consent order issued)

- 29.2.3.2 Enable transport infrastructure to be constructed, maintained, and repaired within roads in a safe and timely manner while:
 - mitigating adverse effects on the streetscape and amenity of adjoining properties resulting from earthworks, vibration, construction noise, utilities, and any substantial building within the road;
 - enabling transport infrastructure to be designed in a manner that reflects the identity of special character areas and historic management areas and avoids, remedies, or mitigates any adverse effects on listed heritage items or protected trees; and
 - requiring transport infrastructure to be undertaken in a manner that avoids or mitigates effects on landscape values.
- 29.2.3.3 Ensure new roads are designed, located, and constructed in a manner that:
 - a. provides for the needs of all modes of transport in accordance with the Council's active transport network plan and public transport network plan and for the range of road users that are expected to use the road, based on its classification;
 - b. provides connections to existing and future roads and active transport network;
 - avoids, remedies, or mitigates effects on listed heritage buildings, structures and features, or protected trees and reflects the identity of any adjoining special character areas and historic management areas;
 - avoids, remedies, or mitigates adverse effects on Outstanding Natural Landscapes and Outstanding Natural Features and on landscape values in other parts of the District; and
 - e. provides sufficient space and facilities to promote safe walking, cycling, and public transport within the road to the extent that it is relevant given the location and design function of the road.
- 29.2.3.4 Provide for services and new linear network utilities to be located within road corridors and, where practicable, within the road reserve adjacent to the carriageway in a manner consistent with the provisions of Chapter 30.
- 29.2.3.5 Allocate space within the road corridor and at intersections for different modes of transport and other uses such as on-street parking in a manner that reflects the road classification, makes the most efficient use of the road corridor, and contributes to the implementation of council's active and public transport network plans.

29.2.3.6 Enable public amenities within the road in recognition that the road provides an important and valuable public open space for the community which, when well designed, encourages human interaction and enrichens the social and cultural wellbeing of the community.

Policy 29.2.3.6 and relief sought	Appellant Court Number
Delete Policy 29.2.3.6.	Well Smart
	Investments Group
	ENV 2019 CHC 062
	(consent order issued)

- 29.2.3.7 Encourage the incorporation of trees and vegetation within new roads and as part of roading improvements, subject to road safety and operational requirements and maintaining important views of the landscape from roads.
- 29.2.4 Objective An integrated approach to managing subdivision, land use, and the transport network in a manner that:
 - a. supports improvements to active and public transport networks;
 - b. promotes an increase in the use of active and public transport networks and shared transport;
 - c. reduces traffic generation; and
 - d. manages the effects of the transport network on adjoining land uses and the effects of adjoining land-uses on the transport network.

Policies

29.2.4.1 Restrict vehicle storage and parking in association with commercial activities and home occupations in residential zones in order to prevent adverse effects on residential amenity or the safety of the transport network.

Policy 29.2.4.1 and relief sought	Appellant Court Number
Policy 29.2.4.1 That vehicle storage and parking in association with commercial activities and home occupations in residential zones be restricted to prevent adverse effects on residential amenity or the safety of the transport network. This includes the storage of business related vehicles and rental vehicles and other vehicles being parked on streets adjoining the residential zones when not in use.	Wayfare Group Ltd ENV 2019 CHC 076 (consent order issued)
Amend Policy 29.4.2.1: Manage That vehicle storage and parking in association with commercial activities and home occupations in residential zones be restricted to prevent or otherwise minimise adverse effects on residential amenity or the safety of the transport network. This includes the storage of business related vehicles and rental vehicles and other vehicles being parked on streets adjoining the residential zones when not in use.	Well Smart Investments Group ENV-2019-CHC-062 (consent order issued)

29.2.4.2 Ensure that commercial and industrial activities that are known to require storage space for large numbers of vehicles provide adequate vehicle parking either onsite or in an offsite carpark and do not store vehicles on roads.

Policy 29.2.4.2 and relief sought	Appellant Court Number
Policy 29.2.4.2 Allow lower levels of accessory parking set out in Table 29.5 where demand can be shown to be lower and/or where initiatives to encourage alternative methods of travel are proposed.	Wayfare Group Ltd ENV-2019-CHC-076 Consent order issued

29.2.4.3 Promote the uptake of public and active transport by requiring that specific large scale commercial, health, community, and educational activities provide bicycle parking, showers, and changing facilities/ lockers while acknowledging that such provision may be unnecessary in some instances due to the specific nature or location of the activity.

Policy 29.2.4.3 and relief sought	Appellant Court Number
Amend Policy 29.2.2.3 as follows, or combine with Policy	Safari Group of Companies Ltd
29.2.2.4:	ENV-2019-CHC-054
Promote the uptake of public and active transport by reducing car	
park requirements requiring that specific large scale commercial,	Appeal Withdrawn
health, community, and educational activities provide bicycle	
parking, showers, and changing facilities/ lockers while	
acknowledging that such provision may be unnecessary in some	
instances due to the specific nature or location of the activity.	

- 29.2.4.4 Avoid or mitigate the adverse effects of high traffic generating activities on the transport network by adopting an integrated approach to addressing the following matters, as relevant to the application:
 - a. The design and layout of the activity, as it relates to integration with the transport network;
 - b. Providing high levels of amenity for cyclists and pedestrians;
 - c. Travel planning;
 - d. improving access to active and public transport;
 - e. other methods to limit increases in traffic generation; and
 - f. other methods to encourage people to walk, cycle or travel by public transport.

Policy 29.2.4.4 and relief sought	Appellant Court Number
Delete Policy 29.2.4.4 relating to High Traffic Generating Activities	RCL Henley Downs Ltd and Others ENV-2019-CHC-022 Consent order issued
Policy 29.2.4.4 Avoid or mitigate the adverse effects of high traffic generating activities on the transport network and the amenity of the environment by taking into account the location and design of the activity and the effectiveness of the methods proposed to limit increases in traffic generation and to encourage people to walk, cycle, or travel by public transport.	Wayfare Group Ltd ENV 2019 CHC 076 Consent order issued

Amend Policy 29.2.2.4 as follows, or combine with Policy	Safari Group of Companies Ltd
29.2.2.3:	ENV 2019 CHC 054
Avoid or mitigate the adverse effects of high traffic generating	
activities on the transport network and the amenity of the	Appeal Withdrawn
environment by reducing car park requirements where taking	
into account the location and design of the activity and the	
effectiveness of the methods proposed to limit increases in	
traffic generation and to encourage people to walk, cycle, or	
travel by public transport.	
Replace Policy 29.4.4.4:	Well Smart
Avoid or mitigate the adverse effects of high traffic generating	Investments Group
activities on the transport network and the amenity of the	ENV-2019-CHC-062
environment by taking into account the location and design of	Consent order issued
the activity and the effectiveness of the methods proposed to	
limit increases in traffic generation and to encourage people to	
walk, cycle, or travel by public transport. Allow lower levels of	
accessory parking set out in Table 29.5 where demand can be	
shown to be lower and / or where initiatives to encourage	
alternative methods of travel are proposed.	

- 29.2.4.4B Require an Integrated Transport Assessment to be submitted with all applications for high generating activities, that:
 - a. is of a level of detail commensurate with the nature and scale of the activity requiring consent, and
 - b. takes into account any relevant Structure Plans and Comprehensive Development Plans within the District Plan.
- 29.2.4.5 Recognise, when considering the avoidance or mitigation of adverse effects of a high traffic generating activity, that land should be able to be developed in accordance with the purpose and objectives of the relevant zone and any structure plan that is included in the District Plan.
- 29.2.4.6 Encourage compact urban growth through reduced parking requirements in the most accessible parts of the District.

Policy 29.2.4.5 and relief sought	Appellant Court Number
Policy 29.2.4.5 Encourage compact urban growth through reduced parking requirements in the most parts of the District that are, or will be, accessible parts of the District.	Safari Group of Companies Ltd ENV-2019-CHC-054
	Appeal Withdrawn

- 29.2.4.7 Ensure that the nature and scale of activities alongside roads is compatible with the road's District Plan classification, while acknowledging that where this classification is no longer valid due to growth and land-use changes, it may be appropriate to consider the proposed activity and its access against more current traffic volume data.
- 29.2.4.8 Control the number, location, and design of additional accesses onto the State Highway and arterial roads.
- 29.2.4.9 Require any large scale public transport facility or Park and Ride to be located, designed, and operated in a manner that mitigates adverse effects on the locality and, in

particular, on the amenity of adjoining properties, while recognising that they are an important part of establishing an effective transport network.

- 29.2.4.10 Ensure the location, design, and layout of access, manoeuvring, car parking spaces and loading spaces of Industrial activities, Service activities and vehicle-orientated commercial activities, such as service stations and rural selling places, avoids or mitigates adverse effects on the safety and efficiency of the adjoining road(s) and provides for the safe movement of pedestrians within and beyond the site, taking into account:
 - a. The relative proximity of other accesses or road intersections and the potential for cumulative adverse effects; and
 - b. The ability to mitigate any potential adverse effect of the access on the safe and efficient functioning of the transport network.
- 29.2.4.11 Enable the construction or implementation of the active and public transport networks to reduce traffic congestion and improve transport choice.

29.3 Other Provisions and Rules

29.3.1 District Wide

Attention is drawn to the following District Wide chapters.

1 Introduction	2 Definitions	3 Strategic Direction
4 Urban Development	5 Tangata Whenua	6 Landscapes
25 Earthworks	26 Historic Heritage	27 Subdivision
28 Natural Hazards	30 Energy and Utilities	31 Signs
32 Protected Trees	33 Indigenous Vegetation and Biodiversity	34 Wilding Exotic Trees
35 Temporary Activities and Relocated Buildings	36 Noise	37 Designations
District Plan web mapping application		

29.3.2 Interpreting and Applying the Rules

Provision 29.3.2 and relief sought	Appellant Court Number
Amend clause 29.3.2 Interpreting and Applying the Rules to insert the following new clause: Where inconsistency arises between the transport provisions of Chapter 17 and Chapter 29, Chapter 17 shall prevail.	Queenstown Airport Corporation ENV-2019-CHC-039 (consent order issued)
Amend 29.3.2 to insert new provision 29.3.2.3 for car park dimensions and re-number the following provisions, as follows:	Safari Group of Companies Ltd ENV-2019-CHC-054 Appeal Withdrawn

29.3.2.3 Table 29.7 specifies dimensional requirements for car parks and access aisles for Class 1 and Class 2 users, as defined in the District Plan. It is important to recognize that this is a guideline and if the dimensions are breached, then the effects of that breach must be assessed in terms of safety, efficiency and amenity.

- 29.3.2.1 Any land vested in the Council or the Crown as road, shall be deemed to be a "road" from the date of vesting or dedication in and subject to all the provisions that apply to roads, as outlined in Table 29.2 and
 - a. At the time the land is vested or dedicated as road, the land shall no longer be subject to any zone provisions, including sub-zone provisions; and
 - The following overlays and identified features shown on the District Plan web mapping application continue to have effect from the time the land is vested or dedicated as road
 - (i) The Special Character Area;
 - (ii) The Outstanding Natural Landscape, Outstanding Natural Feature, and Rural Landscape classifications;
 - (iii) Significant Natural Area;
 - (iv) Protected trees;
 - (v) Listed heritage buildings, structures, and features; and
 - (vi) Wāhi Tūpuna
 - c. all rules in the district wide chapters that refer specifically to 'roads' take effect from the time the land is vested or dedicated as road; and
 - d. all district-wide provisions that are not zone specific but, rather, apply to all land within the district, shall continue to have effect from the time the land is vested or dedicated as road.
 - 29.3.2.2 At the time a road is lawfully stopped under any enactment, the land shall no longer be subject to the provisions that apply to roads (Table 29.2 and Table 29.4) and the provisions from the adjoining zone (as shown on the District Plan web mapping application) apply from the date of the stopping. Where there are two different zones adjoining either side of the road, the adjacent zone extends to the centre line of the former road.
- 29.3.2.3 The dimensions of a B99 design vehicle and a B85 design vehicle are as set out in Diagram 1 of Schedule 29.2.
- 29.3.2.4 Activities on zoned land are also subject to the zone-specific provisions. The provisions relating to activities outside of roads in this chapter apply in addition to those zone-specific provisions, except that the rules in Table 29.1 take precedence over those zone rules which make activities which are not listed in the zone rules a non-complying or discretionary activity.
- 29.3.3 Advice Notes General
- 29.3.3.1 The following documents are incorporated in this chapter via reference:

- a. Section 3 and Appendices E and F of the Queenstown Lakes District Council Land Development and Subdivision Code of Practice (2018); and
- b. Queenstown Lakes District Council Southern Light Part One A Lighting Strategy (March 2017) and Queenstown Lakes District Council Southern Light Part Two Technical Specifications (March 2017).
- 29.3.3.2 The roads shown on the District Plan web mapping application will not necessarily be accurate at any point in time as the vesting, forming, and stopping of roads is an ongoing process.
- 29.3.3.3 The purpose of the road classification maps in Schedule 29.1 is to assist in interpreting those provisions contained in this chapter that specifically relate to collector, arterial, and local roads. They are not for the purpose of determining whether certain land is a road or not.

29.4 Rules – Activities

	Table 29.1 – Transport related activities outside a road	Activity Status
29.4.1	Activities that are listed in this Table as permitted (P) and comply with all relevant standards in Table 29.3 in this Chapter.	Р
29.4.2	Transport activities that are not listed in this Table.	Р
29.4.3	Parking for activities listed in Table 29.4 and Table 29.5.5, other than where listed elsewhere in this table.	Р
29.4.4	Loading spaces, set down spaces, manoeuvring (including the installation of vehicle turntables), and access	Р
29.4.5	Bus shelters, bicycle parking, and development of the active transport network	Р

	Table 29.1 – Transport related activities outside a road				
29.4.6	Off-site and non-accessory parking used exclusively for the parking of coaches and buses in the General Industrial Zone, Coneburn Industrial Zone, Business Mixed Use Zone and Local Shopping Centre Zone				
	Control is reserved over:				
	a. Design, external appearance, and landscaping and the resultant potential effects on visual amenity and the quality of the streetscape;				
	b. Effects on the amenity of adjoining sites' compatibility vactivities;	with surrounding			
	c. The size and layout of parking spaces and associated ma	anoeuvring areas			
	Rule 29.4.6 and relief sought	Appellant Court Number			
29.4.7	Rule 29.4.6 Off-site and non-accessory parking used exclusively for the parking of coaches and buses in the Business Mixed Use Zone and Local Shopping Centre Zone Control is reserved over: a. Design, external appearance, and landscaping and the resultant potential effects on visual amenity and the quality of the streetscape; b. Effects on the amenity of adjoining sites' compatibility with surrounding activities; c. The size and layout of parking spaces and associated manoeuvring areas [activity status:] C Off-site parking areas in the General Industrial Zone, Con		RD		
	Zone, Business Mixed Use Zone and Local Shopping Centre off-site parking used exclusively for the parking of coaches				
	Discretion is restricted to:				
	a. Design, external appearance, and landscaping and the resultant potential effects on visual amenity and the quality of the streetscape.				
	b. Effects on the amenity of adjoining sites' compatibility with surrounding activities.				
	Advice Note:				
	This rule applies to the establishment of new parking areas purpose of providing required parking spaces for specific lare located on a different site to the car parking area. It d instances where a land-use consent seeks to lease or otherw parking spaces within an existing parking area.	and-uses, which oes not apply to			

	Table 29.1 – Transport related activities outside a road			
29.4.8	Non-ad	ccessory parking, excluding:		RD
	-	off-site parking in the Business Mix Centre Zone;	ed Use Zone and Local Shopping	
	-	non-accessory parking used exclus and buses in the General Industrial Business Mixed Use Zone and Loca	Zone, Coneburn Industrial Zone,	
	-	off-site parking associated with a Sub-Zones.	ctivities located within Ski Area	
	Discret	cion is restricted to:		
	a.	Effects on the transport network cycling environment and effects on		
	b.	Effects on land use efficiency an including positive effects;	d the quality of urban design,	
	C.	Location, design and external appearance and effects on visual amenity, the quality of the streetscape and pedestrian environment;		
	d.	Effects on safety for its users a principles in the design;	nd the employment of CPTED	
	e.	Compatibility with surrounding action of adjoining sites;	vities and effects on the amenity	
	f.	f. The provision of electric vehicle charging points/ parking spaces; and		
	g.	Any positive effects on achievir compact urban form.	ng planned intensification and	
	Rule 29	9.4.8 and relief sought	Appellant Court Number	
		9.4.8: Add a matter of discretion as follows: tion in the reliance on private vehicles	Queenstown Park Ltd ENV-2019-CHC-057 (consent order issued)	

	Table 29.1 – Transport related activities outside a road			
29.4.9	Park and Ride and public transport facilit	ies	RD	
	Discretion is restricted to:			
	 a. Effects, including positive effects, on the transport network, including the pedestrian and cycling environment and effects on the feasibility of public transport; 			
	 b. Location, design and external a amenity and the quality of the str 			
	 c. Compatibility with surrounding ac of adjoining sites, including considence; 	ctivities and effects on the amenity deration of nuisance effects such as		
	d. Effects on the safety of its users and employment of CPTED principles in the design;			
	e. Compatibility with surrounding ac	e. Compatibility with surrounding activities;		
	f. The provision of electric vehicle charging points/ parking spaces; and			
	g. Any positive effects on urban design quality.			
	This rule shall not apply to Airport Related	d Activities.		
29.4.10	Rental vehicle businesses in those zones, excluding the Airport Zone, where commercial activities are permitted			
		pellant urt Number		
	Rental vehicle businesses in those zones,	eenstown Airport Corporation V-2019-CHC-039 ensent order issued)		
	Discretion is restricted to:			
	 a. Effects on the safety and efficence of the safety and efficience of the safety and efficience of the safety and when not in use; 	iency of the transport network, g parked on roads and other public		
	 Effects on amenity from rental vental vental when not in use 			
	storage proposed, including the	agement of the vehicle parking/ location, accessibility, and legal proposed on the same site as the		

29.4.11 High Traffic Generating Activities

RD

Any new land-use or subdivision activity, including changes in use that exceeds the traffic generation standards or thresholds set out in Table 29.5, excluding in the Airport Zone.

Discretion is restricted to effects on the transport network in relation to:

- a. Integration with the existing transport network;
- b. Measures to reduce traffic generation;
- c. Measures to facilitate modal shift
- d. Any functional and operational needs of the activity to locate in that environment;
- e. Any positive effects on the efficient use or amenity of the site or overall subdivision layout;
- f. Any positive effects on the urban design quality of the land use or subdivision activity; and
- g. Any recommendations from and Integrated Transport Assessment.

This rule shall not apply to Park and Ride and Public Transport Facilities.

Rule 29.4.11 and relief sought	Appellant Court Number
Amend Rule 29.4.11 to exempt Airport Activities and Airport Related Activities in the Airport Zone and in the Rural Zone that applies to QAC's land at Queenstown Airport (as shown in Appendix A) from the application of the Rule Delete Rule 29.4.11 relating to High Traffic Generating Activities Rule 29.4.11 High Traffic Generating Activities Any new land use or subdivision activity, including changes in use that exceeds the traffic generation standards or thresholds set out in Table 29.5.	Queenstown Airport Corporation ENV-2019-CHC-039 (consent order issued) RCL Henley Downs Ltd and Others ENV-2019-CHC-022 Consent order issued Wayfare Group Ltd ENV-2019-CHC-076 Consent order issued
Discretion is restricted to effects on the transport network. [activity status – RD]	
Amend Rule 29.4.11 to exempt any new subdivision or development that is provided for as a permitted or controlled activity within the Jacks Point Zone; or in the manner detailed below. By adding the following statement to the rule: This rule shall not apply to any land use or subdivision activity that is otherwise provided for as a permitted or controlled activity in the Jacks Point Zone via Chapters 41 and 27 of this Plan	Darby Planning Ltd Partnership ENV-2019-CHC-085 Consent order issued
Delete Rule 29.4.11	Willowridge Developments Ltd ENV-2019-CHC-017 Consent order issued
Amend Rule 29.4.11 to exempt any new subdivision or development that is provided for as a permitted or controlled activity within the Jacks Point Zone; or in the manner detailed below: High Traffic Generating Activities	Henley Downs Farm Holdings Ltd and Henley Downs Land Holdings Ltd ENV-2019-CHC-095

	Table 29.1 – Transport related activities outside a road	d	Activity Status	
	Any new land-use or subdivision activity, including changes in use that exceeds the traffic generation standards or thresholds set out in Table 29.5, except where the associated trip generation and transport effects of the proposed land use or subdivision are the same, similar, or less, in character, intensity and scale, to those identified in an existing resource consent or district plan provisions that were approved on the basis of an Integrated Transport Assessment. This rule shall not apply to any land use or subdivision activity that is otherwise provided for as a permitted or controlled activity in the Jacks Point Zone via Chapters 41 and 27 of this Plan.	Consent order issued		
	Amend Rule 29.4.11 (and any other RDA Rules as required) to ensure that the "benefits" of the proposal can be taken into account as well as any adverse effects: High Traffic Generating Activities Any new land-use or subdivision activity, including changes in use that exceeds the traffic generation standards or thresholds set out in Table 29.5. Discretion is restricted to effects on the transport network, together with the benefits of the proposal.	Well Smart Investments Group ENV 2019 CHC 062 Consent order issued		
29.4.11A	High Traffic Generating Activities in the Jacks Point Zo Any permitted or controlled land use or subdivision boundary adjustments) that is consistent with the Jacks Plan and any relevant Comprehensive Development For District Plan and exceeds the thresholds set out in Table	on activity (excluding s Point Zone Structure Plan contained in the	С	
	Control is reserved over: a. Effects on the transport network in relation to - Integration with the existing transport network effects that the proposal may have network - Measures to reduce traffic generation - Measures to facilitate modal shift b. Any functional and operational needs of the action environment; c. Any positive effects on the efficient use or amenity	ve on the transport		

	Table 29.1 – Transport related activities outside a road				
29.4.12	Parking for any activity not listed in Table 29.4 and the activity is not a permitted or controlled activity within the zone in which it is located.				
	Rule 29.4.12 and relief sought	Appellant Court Number			
	Amend Rule 29.5.12 to exclude parking areas associated with Ski Area Activities located within Ski Area Sub-Zones.	Darby Planning Ltd Partnership ENV 2019 CHC 085 (consent order issued)			

	Table 29.2 - Activities within a road				
29.4.13	Activities that are not listed in this Table.		D		
29.4.14	Construction of new transport infrastructure and the operation, use, maintenance, and repair of existing transport infrastructure.				
	Advice Note: There are other activities related to the transport function of the road such as signs, utilities, and temporary activities that are also permitted through other district-wide chapters but are not included in the definition of transport infrastructure.				
29.4.15	Public amenities		Р		
29.4.16	Any veranda, balcony, or floor area of a building overhanging a road, where the building is a controlled activity in the adjoining zone.				
	For the purpose of this rule, where the road adjoins two different zones, the provisions of the adjoining zone only apply up to the centreline of the road in that location.				
	Control is restricted to those matters listed for buildings zone and:	in the adjoining			
	a. effects on traffic safety;				
	b. effects on the kerbside movement of high-sided ve	hicles; and			
	c. effects on the active transport network.				
	Rule 29.4.16 and relief sought Appellant Court Number				
	Rule 29.4.16 Any veranda, balcony, or floor area of a building overhanging a road, where the building is a controlled activity in the adjoining zone. For the purpose of this rule, where the road adjoins two different zones, the provisions of the adjoining zone only apply up to the centreline of the road in that	Wayfare Group Ltd ENV-2019-CHC- 076 (consent order issued)			

	location. Control is restricted to those matters listed for buildings in the adjoining zone and: a. effects on traffic safety; b. effects on the kerbside movement of high sided vehicles; and c. effects on the active transport network. [activity status — C]					
29.4.17	Any veranda, balcony, or floor area of a building overhanging a road, where the building is a restricted discretionary activity in the adjoining zone.					
	For the purpose of this rule, where the road adjoins two different zones, the provisions of the adjoining zone only apply up to the centreline of the road in that location.					
	Discretion is restricted to those matters listed for buildings in the adjoining zone and:					
	a. effects on traffic safety;					
	b. effects on the kerbside movement of high-sided vehicles; and					
	c. effects on the active transport network.					
29.4.18	Construction of any unformed road into a formed road for the purpose of vehicular access.	RD				
	Discretion is restricted to:					
	 The safety and functionality of the road design, including the safety of intersections with existing roads; 					
	b. Ongoing maintenance costs of the road design;					
	 Effects on the environment and/ or character of the surrounding area (including effects from dust, noise and vibration and effects on visual amenity); 					
	d. Effects on the ability to continue to provide safe access for other current and potential users of the unformed legal road, including pedestrians and cyclists;					
	e. Any positive effects on the transport network, including improved connectivity to formed roads, efficiency, and safety; and					
	f. Any positive effects on urban design outcomes.					
	Rule 29.4.18 and relief sought Appellant Court Number					
	Rule 29.4.18 Construction of any unformed road into a formed road for the purpose of vehicular access. Discretion is restricted to: a. The safety and functionality of the road design, including the safety of intersections with existing roads; b. Ongoing maintenance costs of the road design;					
	c. Effects on the environment and/ or character of the surrounding					

	area (including effects from dust, noise and vibration and effects on visual amenity); and d. Effects on the ability to continue to provide safe access for other current and potential users of the unformed legal road, including pedestrians and cyclists. [activity status – RD C]			
29.4.19	Any storage of parking of rental vehicles on road reserve associated with any rental vehicle business located in the Airport Zone, while not under hire.			
	Discretion is restricted to:			
	a. Effects on the safety and efficiency of the transport network, resulting from rental vehicles being parking on roads and other public land when not in use;			
	b. Effects on amenity from rental vehicles being parked on roads and other public land when not in use; and			
	c. The amount, location, and management of the vehicle parking / storage proposed, including the location, accessibility, and legal agreements where parking is not proposed on the same site as the office and reception area.			

29.5 Rules - Standards for activities outside roads

	Table 29.3 - Standards for activities outside roads	Non-compliance status	
	PARKING AND LOADING		
29.5.1	Location and Availability of Parking Spaces	RD	
	 a. Any parking space required by Table 29.4 or loading space shall be available for staff and visitors during the hours of operation and any staff parking required by this rule shall be marked as such. b. No parking space required by Table 29.4 shall be located on any access or outdoor living space required by the District Plan, such that each parking space required by Table 29.5 shall have unobstructed vehicular access to a road or service lane, except where tandem parking is specifically provided for by Rule 29.5.8. c. Parking spaces and loading spaces may be served by a common manoeuvring area (which may include the installation of vehicle turntables), which shall remain unobstructed. 	RD Discretion is restricted to: a. The long term availability of parking spaces for staff and visitors. b. The location of parking spaces and manoeuvring areas within a site.	

	Table 29.3 - Standards for activities outside roa	Non-compliance status	
	d. some or all coach parking required by visitor accommodation activity may be	c. The proportion of spaces	
	Rule 29.5.2 and relief sought	Appellant Court Number	proposed off- site in zones
	Rule 29.5.2: Amend as follows: The following activities may provide some or all of the parking spaces required by Table 29.4 off-site (on a different site to that which the landuse activity is located on), (i) Residential units and visitor accommodation units activities in any High Density Residential Zone, Medi Density Zone, or Business Mixed Use Zone-located within 800m of an established public transport facility or a public transport facility identified on any Counce Active Transport Network Plan may provide all of the car parking required off-site.	Withdrawn s or um t y	other than the High Density Residential Zone, Medium Density Residential Zone, or Business Mixed Use Zone.
	(v) Any commercial activity may provide all the requester parking off-site. (v)(vi) off-site parking spaces provided in accordance with the above rules 29.5.2(d)(i)-(iv)(v) must be:		d. The location, accessibility, and legal agreements proposed.
29.5.2	Size of Required Parking Spaces and layout		RD
	 All provided parking spaces and associate to be designed and laid out in accord Layout requirements of Table 29.7 a layouts) of Schedule 29.2. This standard does not apply to parking access areas for Ski Area Activities in the 	Discretion is restricted to the size and layout of parking spaces and associated manoeuvring areas.	
	b. The installation of a vehicle turntable residential flats is an acceptable alternaturning manoeuvres of the swept path D		
	Advice note : Refer to Rule 29.5.8 for addit of residential parking spaces.		
	Rule 29.5.3 and relief sought		
	Rule 29.5.3: Amend to refer to latest NZ Standard as follows: Size of Parking Spaces and layout a. All required parking spaces and associated manoeuvring areas are to be designed and laid out in accordance with AS/NZS 2890.1:2004. the Car Parking Layout requirements of Table 29.6,		

	Table 29.3 - Standards for activities outside roads					Non-compliance status	
	Table 29.7, a Schedule 29.	ind Diagram 3 (car spa . 2.	nce layouts) of				
29.5.3	Gradient of Parking Spaces and Parking Areas Parking spaces and parking areas other than mobility parking spaces shall have a gradient of no more than 1 in 20 parallel to the angle of parking, and a gradient of no more than 1 in 16 in any other direction. Rule 29.5.4 and relief sought Appellant Court Number Delete rule 29.5.4 Remarkables Park Ltd				RD Discretion is restricted to the gradient of the parking space and parking area.		
				(consent c	-CHC-058 order issued)		
29.5.4	 Mobility Parking spaces a. Other than in relation to residential units and visitor accommodation with less than 6 guests, mobility parking spaces shall be provided in accordance with the following minimum standards: b. Where two or more activities are located on one site, the activity with the greater mobility parking requirement is the number of mobility parks provided. 					RD Discretion is restricted to: a. The number, location, and design of mobility parking spaces,	
	29.5.4.1	Elderly persons housing unit and elderly care homes, either within a retirement village or not	11 – 100	dential pace units = ential paces itional every 50 units	Elderly care homes: 1 – 50 beds = 1 space 51 – 500 beds = 2 spaces >500 beds = 2 spaces plus 1 additional space for every 250 beds provided		including the accessibility of the spaces to the building(s); and b. Effectiveness of the associated signage.

Table 29.3 - S	Standards for activi	ties outside roads		Non-compliance status
		51 – 500 beds = 2 spaces >500 beds = 2 spaces plus 1 additional space for every additional 250 beds		
29.5.4.2	Homestay	1 – 10 bedrooms = 1 space 11 – 100 bedrooms = 2 spaces >100 bedrooms = 2 spaces plus 1 additional space for every 50 bedrooms	0	
29.5.4.3	Unit type visitor accommodati on (includes all units containing a kitchen facility such as motels and cabins) in the: • High Density Residential Zone • Medium Density Residential Zone between Park and Suburb Streets, Queenstown • Business Mixed Use Zone	Studio unit/1 bedroom unit: 1 – 40 studio units/1 bedroom units = 1 space 41 – 400 studio units/1 bedroom units = 2 spaces >400 studio units/1 bedroom units = 2 plus 1 additional space for every 200 units provided All other units: 1 – 20 units = 1 space 21 – 200 units = 2 spaces >200 units = 2 spaces plus 1 additional space for every 100 units	0	

Table 29.3 -	Table 29.3 - Standards for activities outside roads						
29.5.4.4	Unit type visitor accommodati on (includes all units containing a kitchen facility. E.g. motels and cabins) in the: • Medium Density Residential Zone in Wanaka • Medium Density Residential Zone in Arrowtown • The Jacks Point Village Activity Area of the Jacks Point Zone.	Studio unit and 1 bedroom unit: 1 – 14 studio units/1 bedroom units = 1 space 15 – 143 studio units/1 bedroom units = 2 spaces >143 studio units/1 bedroom units = 2 spaces plus 1 additional space for every 71 units 2 bedroom unit: 1 – 10 units = 1 space 11 – 100 units = 2 spaces >100 units = 2 spaces >100 units = 2 spaces >100 units unit comprising 3 or more bedrooms: 1 – 7 units = 1 space 8 – 67 units = 2 spaces >67 units = 2 spaces >67 units = 2 spaces 1 – 100 units = 1 2 2 2 2 2 3 3 3 3 4 4 4 4 5 5 6 6 7 5 6 7 6 7 8 7 7 9 9 9 1 9 1 9 9 1 9 9 1 9					

Table 29.3 -	Table 29.3 - Standards for activities outside roads						
29.5.4.5	Unit type visitor accommodati on (includes all units containing a kitchen facility. E.g. motels and cabins) in the: • Low Density Residential Zone • Arrowtown Residential Historic Management Zone	1 – 5 units = 1 space 6 – 50 units = 2 spaces >50 units = 2 spaces plus 1 additional space for every 25 units	0				
29.5.4.6	Unit type visitor accommodati on (includes all units containing a kitchen facility such as motels and cabins) except in those zones listed in standards 29.5.4.3 - 29.5.4.5 above	1 – 10 units = 1 space 11 – 200 units = 2 spaces >200 units = 2 spaces plus 1 additional space for every additional 100 units	For developments comprising 10 or more units: 10 – 100 units = 1 space 101 – 1,000 units = 2 spaces >100 units = 2 spaces plus 1 additional space for every additional 500 units				

Table 29.3 - 9	Standards for activi	ties outside roads		Non-compliance status
29.5.4.7	Guest room type visitor accommodati on (e.g. hotels) in the: • High Density Residential Zone • Medium Density Residential Zone between Park and Suburb Streets, Queenstown • Business Mixed Use Zone	1 – 40 guest rooms = 1 space 41–500 guest rooms = 2 spaces >500 guest rooms = 2 spaces plus 1 additional space for every additional 250 guest rooms	1 – 200 beds = 1 space 201 – 2,000 beds = 2 spaces >2,000 beds = 2 spaces plus 1 additional space for every additional 1,000 beds	
29.5.4.8	Guest room type visitor accommodati on (e.g. hotels) in all zones other than zones listed in Rule 29.8.15	1 – 31 guest rooms = 1 space 32 – 60 guest rooms = 2 spaces 61 – 500 guest rooms = 2 spaces >500 guest rooms = 2 spaces plus 1 additional space for every additional 250 guest rooms	1 – 50 guest beds = 1 space 51 – 500 guest beds = 2 spaces >500 guest beds = 2 spaces plus 1 additional space for every additional 250 guest rooms	
29.5.4.9	Backpacker hostel type accommodati on	1 – 50 guest beds = 1 space 51 – 500 guest beds = 2 spaces >500 guest beds = 2 spaces plus 1 additional space for every additional 250 guest rooms	1 - 200 beds = 1 space 201 - 2,000 beds = 2 spaces >2,000 beds = 2 spaces plus 1 additional space for every additional 1,000 beds	

Table 29.3 - S	Table 29.3 - Standards for activities outside roads						
29.5.4.10	Commercial activity, other than where the commercial activity is more specifically defined elsewhere in this table (Table 29.5)	1 - 250m² = 1 space 251 - 2,500m² = 2 spaces >2500m² = 2 spaces plus 1 additional space for every additional 1,250m² Note: all areas are calculated according to GFA	0				

29.5.4.11 Industrial activity or service activity, other than where the activity is more 1 - 500m² = 1 1 - 500m² = 1 1 - 500m² = 2 50.00m² = 2	20 5 4 44	Local code 2 of	0	Indon I	
service activity, other than where the activity is more specifically defined elsewhere in this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 2 spaces >1,001 - 10,000m² = 2 spaces >1,000m² = 2 spaces 1,000m² = 2 spaces >1,000m² = 2 spaces	29.5.4.11		U		
activity, other than where the activity is more specifically defined elsewhere in this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 2 spaces 1,001 - 10,000m² = 2 spaces >10,000m² = 1 space 1,000m² = 1 spa					
than where the activity is more specifically defined elsewhere in this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 – 1,000m² = 1 space 1,001 – 10,000m² = 2 spaces plus 1 additional space for every additional space 1,001 – 1,000m² = 2 spaces plus 1 additional space for every additional space 1,001 – 1,000m² = 2 spaces >10,000m² = 2 spaces					
the activity is more specifically defined elsewhere in this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 space for every additional		-			
more specifically defined elsewhere in this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 1, space 1,001 - 10,000m² = 2 5,paces >10,000m² = 2 5,paces >10,000m² = 2 5,000m² And for distribution centres: 1 - 1,000m² = 1 1,000m² = 2 5,000m² And for distribution centres: 1 - 1,000m² = 1 1,000m² = 2 5,000m² And for distribution centres: 1 - 1,000m² = 2 5,000m² And for distribution centres: 1 - 1,000m² = 2 5,000m² Space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 2 5,000m² = 2 5,00				-	
specifically defined spaces plus 1 additional space for every additional stribution centres: 1 - 1,000m² = 2 spaces plus 1 additional space for every additional 2,500m² Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 1,000m² = 2 spaces plus 1 additional space for every additional 5,000m²		the activity is		501 – 5,000m ²	
defined elsewhere in this table (Table 29.5) (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 2 space for every additional space for every additional space for every additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 2 spaces 1 space 1 s		more		= 2 spaces	
elsewhere in this table (Table 29.5) (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 2 spaces for every additional space for every additional additional		specifically		>5,000m ² = 2	
this table (Table 29.5) Table 29.5 Table 29.5 Table 29.5 Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces 1 additional space for every additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 1,000m² = 1 space 1,001 - 1,000m² = 2 spaces 1,001 - 1,000m² = 2 spaces 1,001 - 1,000m² = 2 spaces 1,000m² = 1,000m²		defined		spaces plus 1	
this table (Table 29.5) this table (Table 29.5) Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 1 1,000m² = 2 spaces plus 1 additional 5,000m²		elsewhere in		additional	
(Table 29.5) every additional 2,500m² Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces 1,000m² = 1,000		this table		space for	
additional 2,500m² Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 1,000m² = 2 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 1,5pace 1,001 - 10,000m² = 2 5,000m² = 2 5,000m² = 2 5,000m² = 2 5,000m² = 1 1,000m² = 1 1,000m² = 2 5,000m² = 2 5,0				· ·	
Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 1,5pace 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 1 space 1,001 - 1 10,000m² = 2 5,000m² And for distribution centres: 1 - 1,000m² = 2 1 space 1,001 - 1 10,000m² = 2 spaces >10,000m² = 1		(100.0 20.0)		-	
Except that the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 2 spaces plus 1 additional space for every additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 2 spaces plus 1 additional				1	
the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces 1 space 1,001 - 10,000m² = 2 spaces 1,001 - 10,000m² = 2 spaces 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces				2,300111	
the following applies to GFA used for warehousing and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces 1 space 1,001 - 10,000m² = 2 spaces 1,001 - 10,000m² = 2 spaces 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces				Except that	
applies to GFA used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >1,001 - 10,000m² = 2 spaces >1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >1,000m² = 2 spaces >1,000m² = 2 spaces >1,000m² = 2 spaces				-	
used for warehousing and indoor or outdoor storage (including self- storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces				_	
warehousing and indoor or outdoor storage (including self- storage units): $1 - 1,000m^2 = 1$ $1 space$ $1,001 - 1$ $10,000m^2 = 2$ $spaces$ $> 10,000m^2 = 2$ $spaces plus 1$ additional $space for$ every additional $5,000m^2$ And for distribution centres: $1 - 1,000m^2 = 1$ $1 space$ $1,001 - 1$ $10,000m^2 = 2$ $spaces$ $1 - 1,000m^2 = 2$ $spaces$ $1,001 - 1$ $10,000m^2 = 2$ $spaces$ $> 10,000m^2 = 3$					
and indoor or outdoor storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 2 spaces plus 1 additional additional space 1,001 - 10,000m² = 2 spaces plus 1 additional				1	
outdoor storage (including self- storage units): 1 − 1,000m² = 1 space 1,001 − 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 − 1,000m² = 1 space 1,001 − 10,000m² = 2 spaces plus 1 additional 5,000m²					
storage (including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces > 10,000m² = 1 spaces 1 additional					
(including self-storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 1 additional					
storage units): 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				_	
1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 1 additional				_	
1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				_	
1,001 – 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 – 1,000m² = 1 space 1,001 – 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional					
10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 1 additional				-	
spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m²					
>10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 1 additional				10,000m ² = 2	
spaces plus 1 additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				spaces	
additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				>10,000m ² = 2	
additional space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				spaces plus 1	
space for every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				1 -	
every additional 5,000m² And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces 10,000m² = 2 spaces plus 1 additional					
additional 5,000m ² And for distribution centres: 1 - 1,000m ² = 1 space 1,001 - 10,000m ² = 2 spaces >10,000m ² = 2 spaces plus 1 additional					
5,000m ² And for distribution centres: 1 - 1,000m ² = 1 space 1,001 - 10,000m ² = 2 spaces >10,000m ² = 2 spaces plus 1 additional					
And for distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional					
distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 1 additional				,	
distribution centres: 1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces >10,000m² = 1 additional				And for	
centres: 1 - 1,000m ² = 1 space 1,001 - 10,000m ² = 2 spaces >10,000m ² = 2 spaces plus 1 additional					
1 - 1,000m ² = 1 space 1,001 - 10,000m ² = 2 spaces >10,000m ² = 2 spaces plus 1 additional					
1 space 1,001 – 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional				1	
1,001 – 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional					
10,000m ² = 2 spaces >10,000m ² = 2 spaces plus 1 additional				1	
spaces >10,000m² = 2 spaces plus 1 additional					
>10,000m ² = 2 spaces plus 1 additional					
spaces plus 1 additional					
additional					
				1	
		1		space for	

Table 29.3 - Standards for activities	Non-compliance status	
	every additional 5,000m² Note: all areas are calculated according to GFA	

				1	7		
29.5.4.12	Motor vehicle	a.	-	a.	servicing/		
	repair and		workshop		worksho		
	servicing		area		p area		
			$1 - 250m^2 = 1$		1 –		
			space		$250m^2 =$		
			251 –		1 space		
			$2,500m^2 = 2$		251 –		
			spaces		2500m ² =		
			>2,500 ² = 2		2 spaces		
			spaces plus 1		>2500m ²		
			additional		= 2		
			space for		spaces +		
			every		1		
			additional		additiona		
			1,250 m ²		l space		
			1,200 111		for every		
		Or			additiona		
		Ji			l 1250m ²		
		h	work bay		1 1230111		
		D.	(work bay up	Or			
			to a	01			
			maximum of	h	Work		
			50m ² for	D.	bays		
			each work		1 – 10		
			bay)		work bays		
			1 – 25 work		= 1 space		
			bays = 1		11 – 100		
			space		work bays		
			26 – 250		= 2		
			work bays =				
			•		spaces >100		
			2 spaces				
			>250 work		work bays		
			bays = 2		= 2		
			spaces plus 1 additional		spaces		
					plus 1		
			space for		additional		
			every		space for		
			additional 125 work		every additional		
					50 work		
			bays				
		\ \/ h:	chever of a or		bays		
			the greater	\ \/ h:	chever of a		
			apply		is the		
		Silali	арріу		iter shall		
				app			
				app	У		
				Note	e: parking		
					ces will also		
				-	equired for		
L					- 1 0		

Table 29.3 - 9	Non-compliance status			
			any on-site office and retail space pursuant to those rules	
29.5.4.13	Drive-through facility except in the Town Centre	NA	NA	
29.5.4.14	Office	0	1 – 500m² = 1 space 501 – 5,000m² = 2 spaces >5,000m² = 2 spaces plus 1 additional space for every additional 2,500m² Note: all areas	
			are calculated according to GFA	

Та	ble 29.3 - S	tandards for activi	ties outside roads		Non-compliance status
	29.5.4.15	Restaurant	1 – 250m² = 1 space 251 – 2,500m² = 2 spaces >2,500m² = 2 spaces plus 1 additional space for every additional 1,250m² Note: all areas are calculated according to PFA	1 – 1,000m² = 1 space 1,001 – 10,000 m² – 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² Note: all areas are calculated according to PFA	
2	29.5.4.16	Tavern or bar	1 – 125m² = 1 space 126 – 1,250m² = 2 spaces >1,250 m² = 2 spaces plus 1 additional space for every additional 625 m² Note: all areas are calculated according to PFA	1 - 1,000m² = 1 space 1,001 - 10,000m² = 2 spaces >10,000m² = 2 spaces plus plus 1 additional space for every additional 5,000m² Note: all areas are calculated	
2	29.5.4.17	Rural selling place	1 – 250m² = 1 space 251 – 2500m² = 2 spaces >2500m² = 2 spaces plus 1 additional space for every additional 1,250m² Note: all areas are calculated according to GFA	according to PFA 0	

Table 29.3 - 9	Non-compliance status			
29.5.4.18	Home occupation (in addition to residential requirements)	1 space (based on the operation of 1 Home Occupation activity)	0	
29.5.4.19	Service station	Area used for retail sales 1 - 250m² = 1 space 251 - 2,500m² = 2 spaces >2,500m² = 2 spaces plus 1 additional space for every additional 1,250m² Note: all areas are calculated according to GFA	1 space (based on the operation of a 1 Service Station activity)	

				1	
29.5.4.20	Place of	a.		0	
	assembly or		$1 - 100m^2 =$		
	place of		1 space		
	entertainment		101 –		
	except where		$1,000m^2 = 2$		
	specifically		spaces		
	listed below		>1,000m ² = 2		
			spaces plus 1		
			additional		
			space for		
			every		
			additional		
			500 m ² Note:		
			all areas are		
			calculated		
			according to		
			PFA		
			FFA		
		Or			
		OI			
		b.	Number of		
			seats		
			1 – 100 seats		
			= 1 space		
			101 – 1000		
			seats = 2		
			spaces >1000 seats		
			= 2 spaces +		
			1 additional		
			space for		
			every		
			additional		
			500 seats		
			chever of a or		
			the greater		
		shall	apply		
		- عادا	rios		
			aries,		
			eums, and		
			-commercial		
			galleries		
			500m ² = 1		
		spac			
			- 5,000m ² = 2		
		spac	oom² = 2		
			es plus 1		
			tional space		
		auul	tional space		

Table 29.3 - 9	Standards for activi	ties outside roads		Non-compliance status
		for every additional 2,500m ² Note: all areas are calculated according to GFA		
29.5.4.21	Swimming pools for public use or private club use	1 – 150m ² = 1 space 151 – 1,500 m ² = 2 spaces >1,500 m ² = 2 spaces plus 1 additional space for every additional 750m ² Note: all areas are based on the amount of swimming pool area	1 - 2,000m ² = 1 space 2,001 - 20,000m ² = 2 spaces >20,000m ² = 2 spaces plus 1 additional space for every additional 10,000m ² Note: all areas are based on the amount of swimming pool area	
29.5.4.22	Gymnasiums for public use or private club use	1 – 1,000m² = 1 space 1,001 – 10,000m² = 2 spaces >10,000m² = 2 spaces plus 1 additional space for every additional 5,000m² Note: all areas are calculated according to GFA	1 - 2,000m ² = 1 space 2,001 - 20,000m ² = 2 spaces >20,000m ² = 2 spaces plus 1 additional space for every additional 10,000m ² Note: all areas are calculated according to PFA	

ו	Table 29.3 - S	Non-compliance status			
	29.5.4.23	Sports courts for public or private club use	1 – 750m² = 1 space 751 – 7,500m² = 2 spaces >7,500m² = 2 spaces plus 1 additional space for every additional 3,750m² Note: all areas are based on the amount of court area	1 - 2,000m ² = 1 space 2,001 - 20,000m ² = 2 spaces >20,000m ² = 2 spaces plus 1 additional space for every additional 10,000m ² Note: all areas are based on the amount of court area	
	29.5.4.24	Sports fields	1 – 8,000m² = 1 space 8,001 – 80,000m² = 2 spaces >80,000m² = 2 spaces plus 1 additional space for every additional 40,000m² Note: all areas are based on the amount of playing area	0	
	29.5.4.25	Hospital Note: Also see drop off/ pick up (set down) Rule 29.5.7	1–50 beds = 1 space 51 – 500 beds = 2 spaces >500 beds = 2 spaces plus 1 additional space for every additional 250 beds	1 – 5 beds = 1 space 6 – 50 beds = 2 spaces >50 beds = 2 spaces plus 1 additional space for every additional 25 beds	

	<u>-</u>	T		
29.5.4.26	Health care	1 – 5 professional	1 – 10	
	facility	staff = 1 space	professional	
	Note: Also see	6 – 50 professional	staff = 1 space	
		staff = 2 spaces	11 – 100	
	drop off/ pick	>50 professional	professional	
	up (set down)	staff = 2 spaces	staff = 2 spaces	
	Rule 29.5.6	plus 1 additional	>100	
		space for every	professional	
		additional 25	staff = 2 spaces	
		professional staff	plus 1	
		professional stair	additional	
			space for	
			every	
			additional 50	
			professional	
			staff	
			In addition;	
			a. Full time	
			staff	
			2 – 20	
			other full	
			time staff	
			= 1 space	
			21 – 200	
			other full	
			time staff	
			= 2	
			spaces	
			>200	
			other full	
			time staff	
			= 2	
			spaces +	
			1	
			additiona	
			l space	
			for every	
			additiona	
			I 100	
			other full	
			time staff	
			time stan	
			Or	
			b. Consultin	
			g room	
			1-10	
			consultin	
	ı	I	300316111	

Tab	able 29.3 - Standards for activities outside roads	Non-compliance status
	g rooms = 1 space 11 – 100 consultin g rooms = 2 spaces >100 consultin g rooms = spaces + 1 additiona I space for every additiona I 50 consultin g rooms Whichever of a or b is the greater shall apply	

I					
	29.5.4.27	Education	For Year 11 and	2 – 20 staff = 1	
	29.3.4.27		above:	space	
		activity	1 – 10 classrooms	21 – 200 staff	
		Note: Also		= 2 spaces	
		drop off/ pick	= 1 space	-	
		up (set down)	11 – 100	>200 staff = 2	
		Rule 29.5.6	classrooms = 2	spaces plus 1	
		Nuie 29.5.0	spaces	additional	
			>100 classrooms =	space for	
			2 spaces plus 1	every	
			additional space	additional 100	
			for every	staff	
			additional 50	Stair	
			classrooms		
			Tertiary		
			education:		
			1 – 20 FTE		
			employee = 1		
			space		
			21 – 50 FTE		
			employee = 2		
			spaces		
			>50 FTE employee		
			= 2 spaces plus 1		
			additional space		
			for every		
			additional 25 FTE		
			employee		
			1 – 40 FTE		
			students the		
			facility is designed		
			to cater for = 1		
			space		
			41 – 400 FTE		
			students the		
			facility is designed		
			to cater for = 2		
			spaces		
			>400 FTE students		
			the facility is		
			designed to cater		
			for = 2 spaces plus		
			1 additional space		
			-		
			for every		
			additional 200 FTE		
			students		
	-				

Table 29.3 -	Table 29.3 - Standards for activities outside roads				
29.5.4.28	Day care facility Note: Also see drop off/ pick up (set down) Rule 29.5.6	1 – 100 children/elderly persons = 1 space 101 – 1,000 children/elderly persons = 2 spaces >1,000 children/elderly persons = 2 spaces plus 1 additional space for every 500 children/elderly persons	1 – 20 staff = 1 space 21 – 50 staff = 2 spaces >50 staff = 2 spaces plus 1 additional space for every additional 25 staff		

Table 29.3 - 5	Standards for activ	ities ou	tside roads	Non-compliance status
29.5.4.29	Convention centre	Or; b.	Persons 1 – 100 persons = 1 space 101 – 1,000 persons = 2 spaces >1,000 persons = 2 spaces plus 1 additional space for every 500 persons that the site is designed to accommodat e Public floor area 1 – 100 m² of public floor area = 1 space 101 – 1,000 m² of public floor area = 2 spaces >1,000 m² of public floor area = 2 spaces >1,000 m² of public floor area = 2 spaces >1,000 m² of public floor area = 2 spaces >1,000 m² of public floor area = 2 spaces >1,000 m² of public floor area = 2 spaces plus 1 additional space for every 500 m² of public floor area chever of a or he greater apply	

Table 29.3 - S	tandards for activ	rities outside roads		Non-compliance status
29.5.4.31	Commercial recreational activity Emergency Service Facilities:	1 – 50 people the facility is designed to accommodate = 1 space 51 – 500 people the facility is designed to accommodate = 2 spaces >500 people the facility is designed to accommodate = 2 spaces plus 1 additional space for every 250 people the facility is designed to accommodate = 1 – 10 emergency service vehicle bays = 1 space 11 – 100 emergency service vehicle bays = 2 spaces >100 emergency service vehicle bays = 2 spaces plus 1 additional space for every 50 emergency service vehicle bays	1 – 10 emergency service vehicle bays = 1 space 11 – 100 emergency service vehicle bays = 2 spaces >100 emergency service vehicle bays = 2 spaces >100 emergency service vehicle bays = 0 spaces plus 1 additional space for every 50 emergency service vehicle bays	
	y parking spaces el surface;	shall be:		
e. clearly s	signposted;			
f. located	on the same site	e as the activity;		
g. as close	as practicable to	the building entrance	e; and	

	Table 29.3 - Standards for activ	vities outside roads		Non-compliance status
	h. accessible to the buildin car park to the building.			
29.5.5	Queenstown Town Centre the Arrowtown Town Centre a. All day care facilities, ed must provide drop off/drop off and pick up chi in accordance with the signed to cater for six or more children/ persons (ii) A primary or intermediate school (iii) A secondary school (iv) A health care facility or hospital b. In calculating the tota required, where the required, where the required is the school higher, then the required highest whole number	lucational activities, and healtholick up (set down) areas to allow ldren, students, elderly persons, following standards: 1 drop-off/ pick up car space per 5 persons that the facility is designed to cater for (excluding staff). 1 drop-off/ pick up space per 50 students that the school is designed to cater for and 1 bus space per 200 students where school bus services are provided. 1 drop-off/ pick up space per 100 students that the school is designed to cater for and 1 bus space per 200 students where school bus services are provided. 1 drop-off/ pick up space per 100 students where school bus services are provided 1 drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff I number of drop-off/ pick up space per 10 professional staff	car spaces on of a space tion is 0.5 or to the next ities on one	RD Discretion is restricted to effects on safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment.

Reverse manoeuvring for any day care facility, educational facility, or healthcare facility a. Where on-site manoeuvring areas or drop off/ pick up (set down) areas are required, these shall be located and designed to ensure that no vehicle is required to reverse onto or off any road. Reverse Manoeuvring of heavy vehicles b. Where heavy vehicle parking spaces, on-site manoeuvring, and loading areas are required, these shall be designed and located to ensure that no heavy vehicle is required to reverse manoeuvre from (or onto) any site or service lane onto (or from) any road. c. Where a service lane does not meet the definition of a 'road', a heavy vehicle can reverse onto (or from) a site from (or onto) a service lane but this does not enable a heavy vehicle to then reverse from that service lane onto a road. Reverse Manoeuvring, other than where regulated by 29.5.6a to 29.5.6c above d. On-site manoeuvring shall be provided to ensure that no vehicle is required to reverse onto or off any State Highway or arterial road. e. On-site manoeuvring shall be provided for a B85 vehicle to ensure that no such vehicle is required to reverse either onto or off any careficiency or amenity of the site. b. The design and location of required parking
 (i) the frontage road speed limit is 80km/h or greater, or (ii) six or more parking spaces are to be serviced by a single accessway; or (iii) three or more residential units share a single accessway; or (iv) the activity is on a rear site. f. On-site manoeuvring shall be provided for a B85 vehicle to ensure that no such vehicle is required to reverse either onto or off any local road where: (i) ten or more parking spaces are to be serviced by a single accessway, or (ii) five or more residential units share a single accessway, or (iii) the activity is on a rear site. g. Where on-site manoeuvring areas are required, a B85 vehicle shall be able to manoeuvre in and out of any provided parking space other than parallel parking spaces, with only one reverse

	Table 29.3 - Standards for activition	es outside roads	Non-compliance status		
	(i) Where such parking access driveways, ra vehicle shall be able to with only one reverse				
	residential flats is an accep	residential flats is an acceptable alternative to achieve the required turning manoeuvres illustrated in the swept path diagram 4, in			
	Note: Diagram 4 in Schedule 2 designs for B85 and B99 vehic				
29.5.7	Residential Parking Space Desi	gn	RD		
	a. The minimum width of the less than 2.4 m.	Discretion is restricted to:			
	b. The minimum length of a g	. The minimum length of a garage shall be 5.5m.			
	c. Where a car space is propo boundary, the minimum le	parking spaces.			
	Rule 29.5.8 c and relief sought	b. Effects on safety, efficiency, and			
	Delete 29.5.8(c)	amenity of the site and of the transport			
	e. Where two parking spaces a single visitor accommod which may also include a single visitor accommod which which may also include a single visitor accommod which wh	 Where onsite manoeuvring is required, the minimum manoeuvring area between the road boundary and the garage entrance shall be designed to accommodate a B85 design vehicle. Where two parking spaces are provided for on a site containing only a single visitor accommodation unit or a single residential unit, which may also include a single residential flat, the parking spaces may be provided in tandem. 			
29.5.8	Queuing	RD			
	a. On-site queuing space sha parking or loading area in a	Discretion is restricted to effects on safety,			
		linimum queuing	efficiency,		
	<u> </u>	m	congestion, and amenity of the		
			site and of the		

	Table 29.3 - Standards for activities outside roads					Non-compliance status
		21 – 50	12m			transport
		51 – 100	18m			network, including the pedestrian
		101 – 150	24m			and cycling
		151 or over	30m			environment.
	b. c.	Where the parking are queuing space may be expected traffic volume. Queuing space length s the vehicle crossing to the space of the space of the space of the space.	divided be e served at hall be me	etween the access teach access poin asured from the r	ses based on the at.	
29.5.9	Loa	ding Spaces				RD
	a. b. (i)	Off-street loading shall I on every site in the Cone Service Zone, Business I the Local Shopping Ce utility sites and on site following roads: Queenstown Mall Beach Street Shotover Street Camp Street Rees Street Marine Parade Church Street Ballarat Street Ballarat Street Helwick Street Buckingham Street Every loading space shall shan 1500m² flearea not handling gand where on-street	t. all meet these of coor coods	istrial Zone, Gene Zone, the Town C , except in relati access is only av	ral Industrial and centre zones, and ion to unstaffed ailable from the	Discretion is restricted to: a. The location, size, and design of the loading space and associated manoeuvring. b. Effects on safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment.

	Table 2	Non-compliance status			
		parking for occasional delivery is available.			
	(ii)	All other activities except residential, visitor accommodation, and those listed in Rule 29.5.9 (b)(i) above.	9m length 3.5m wide 4.5m high		
	(i) (ii)	otwithstanding the above: Where articulated trucks are sufficient space not less than Each loading space required access to a road or service lar part by a common manow unobstructed.	20m in depth shall b shall have unobstrud ne. eas may be served i	e provided. eted vehicular n whole or in	
29.5.10	Surfac	e of Parking Spaces, Parking A	reas, and Loading Sp	aces	RD
	 Surface of Parking Spaces, Parking Areas, and Loading Spaces a. The surface of all parking, loading and associated access areas and spaces shall be formed, sealed, or otherwise maintained so as to avoid creating a dust or noise nuisance, to avoid water ponding on the surface, and to avoid run-off onto adjoining roads. b. The first 10m of such areas, as measured from the edge of the traffic lane, shall be formed and surfaced to ensure that material such as mud, stone chips or gravel is not carried onto any footpath, road or service lane. These standards do not apply to parking, loading and associated access areas for Ski Area Activities in the Ski Area Subzone. 				Discretion is restricted to effects on the efficient use and maintenance, safety, and amenity of the site and of the transport network, including the pedestrian and cycling environment.
29.5.11	_	ng of parking areas			RD
	pa lik m	scluding parking areas accesson arking area provides for 10 or sely to be used during the howanceuvring areas and associated associated associated areas are	more parking spaceurs of darkness, the	es, which are parking and	Discretion is restricted to: a. Effects on the safety and amenity of
		uch lighting shall be designed in akes District Council Southern L			pedestrian, cyclists, and motorists

	Table 29.3 - Standards for activities outside roads	Non-compliance status	
	(March 2017) and Queenstown Lakes District Part Two – Technical Specifications (March 2	using the parking area.	
	c. Such lighting shall not result in a greater tha or vertical) of light onto any adjoining site will Use Zone, the Town Centre Zones, and the Zone, measured at any point inside the bousite.	d adjoining on sites	
	d. Such lighting shall not result in a greater that or vertical) of light onto any adjoining site the Residential, Medium Density Residential, Lo Airport Zone, or the land subject to Designat point more than 2m inside the boundary of	y I,	
	This rule shall not apply to parking areas ass Activities located within Ski Area Sub Zones.	sociated with Shi Are	a
	Rule 29.5.12 and relief sought	Appellant Court Number	
	Amend Standard 29.5.12 as follows: d. Such lighting shall not result in a greater than 3 lux spill (horizontal or vertical) of light onto any adjoining site that is zoned High Density Residential, Medium Density Residential, Low Density Residential, Or Airport Zone, Or Rural Zone at Queenstown Airport (as shown in Appendix A) (Wānaka) measured at any point more than 2m inside the boundary of the adjoining site.	Queenstown Airport Corporation ENV-2019-CHC-039 (consent order issued)	
29.5.12	Bicycle parking and the provision of lockers and	l showers	RD
	Bicycle parking, lockers, and showers shall be parking with the minimum requirements specified in Ta of short term bicycle parking, including aisle dep dimensions presented in Diagram 5 (bicycle layo Advice note: Further guidance on alternative bicycle parking bikes is presented in the Cycle Facilities Guidelin	restricted to: a. The amount, location, and design of the cycle parks.	

	Table 29.3 - Standards for ac	tivities outside ro	pads		Non-compliance status
					and from the location.
	ACCESS				
29.5.13	Highway, arte width of 5.5m a minimum le boundary. ii. To allow vehic units shall inc 15m length at the end of one iii. The above acc	be in accordance C Land Developing the notes with vided for in 29.5 icular accesses ation units in the experience of the control of the contr	e with Table 3.2 ment and Subdiv hin Table 3.2 and 5.14b below. serving resident the High Densitione, Low Densitione, Low Densitione, Low Densitione, Low densitione, and width (m) Minimum legal width (m) 4.0 6.7 for 1 to 6 units are road, it shall high width of at limeasured from the measured from the beginning of a do not apply	(Road Design vision Code of d Appendices dial units and/by Residential ty Residential the following displays a State ave a formed east 6.7m for the legal road ths for 1 to 6 5.5 m over a easured from f the next).	RD Discretion is restricted to: a. Effects, including positive effects, on the safety, efficiency, and amenity of the site and of the transport network, including the pedestrian and cycling environment. b. The design of the access, including the width of the formed and legal width. c. The on-going management and maintenance of the access. d. Urban design outcomes, including any positive effects on
			ments authorise		

	Tab	le 29.3 - Standards for	activities outsid	e roads			Non-compliance status
			y a land-use re made opera		as at the	date these	urban design quality.
	C.	zone shall serve site	or private vehicle access or shared access in any sites with a potential to accommodate more than site and adjoining sites.				e. The vesting of the access in Council.
	d.	Private shared veharrangements for n created.			• .		f. Any positive effects on achieving planned
	e.	All vehicle access de	sign shall com	oly with So	chedule 29	9.2.	intensification and compact
	f.	The above access wi vehicle accessways units that may be b served by the access	for the purporull to the a	se of cont	trolling the s, unless t	e number of he total land	urban form.
	Adv	vice notes:					
	ext the Zor and pro	cessary, the creation ensions to link to other ensions to link to other ere is no maximum dene, it is not possible to d, as such, the numb posed to be serviced alle 29.5.14 and relief soug	er sites beyond ensity provision o calculate the er of units sha by the access,	the imme n in the Hi maximun II be take	diate deve igh Densit n developa n as the t	elopment. As y Residential able capacity total number ng units.	
	Amend Rule 29.5.14 to include the following matter reserved for discretion: Discretion is restricted to: f. The practicality of constructing to the standards given matters such as site constraints. Well Smart Investments Group ENV-2019-CHC-062 (consent order issued)						
29.5.14	14 Width and design of vehicle crossings - urban zones						RD
	a. The following vehicle crossing widths shall apply as measured at the property boundary:					Discretion is restricted to:	
	Land use Width of crossing(m) at the property boundary					a. Effects on safety,	
	-		Minimum	Maxim	um		efficiency, and amenity of the
		a. Residential	3.0	6.0			site and of the
	f	b. Other	4.0	9.0			transport network,

	Table 29.3 - Standards for activities outside roads	Non-compliance status
	 b. Vehicle crossings in all zones other than in those rural zones which are regulated by Rule 29.5.16 shall comply with Diagram 2 and with either Diagram 6 or 7 in Schedule 29.2, depending on the activity served by the access, such that: the access crosses the property boundary at an angle of between 45 degrees and 90 degrees; the vehicle crossing intersects with the carriageway at an angle of 90 degrees plus or minus 15 degrees; roading drainage shall be continuous across the length of the crossing; all vehicular accessways adjacent to State Highways shall be sealed from the edge of the carriageway to the property boundary. For vehicle crossings in all zones other than in those rural zones which are regulated by Rule 29.5.16, the width of the vehicle crossings at the kerb shall be 1.0m wider than the width at the boundary. All vehicle crossings in all zones other than in those rural zones which are regulated by Rule 29.5.16 shall be located at least 500mm from any internal property boundary and from any other vehicle crossing on the same site. 	including the pedestrian and cycling environment. b. The location, design, and width of the vehicle crossing.
29.5.15	Design of vehicle crossings – Rural Zone, Rural Residential Zone, Rural Lifestyle Zone, Wakatipu Basin Rural Amenity Zone, and the Wakatipu Basin Lifestyle Precinct Vehicle crossings providing access to a road in the Rural Zone, Rural Residential Zone, Rural Lifestyle Zone, and Wakatipu Basin Rural Amenity Zone, and the Wakatipu Basin Lifestyle Precinct shall comply with Diagram 2 and with either Diagram 8, 9, or 10 of Schedule 29.2, as determined by the following standards, except that in relation to vehicular crossings providing access to a State Highway reference to Diagram 9 shall be replaced with Diagram 10. Type of Volume of traffic using access (>1 accessway (ecm/day) road (vpd) road (vpd)	RD Discretion is restricted to: effects on safety, efficiency, and amenity of the transport network, including the pedestrian and cycling environment.

	Table 29.3 - Standards for activities outside roads				Non-compliance status		
	No	1-30	< 10,000 >=	Diagram 8 Diagram 9			
		31-100	10,000	Diagram 9			
		31 100	>=	Diagram 10			
		101.	10,000	Diagram 10			
	Yes	101+	All	Diagram 10 Diagram 9			
	res	31-100+	All	Diagram 10			
	application,	ence of undertak , the Council's tra	affic count da	survey for the poats can be supplicated the	ed on request		
29.5.16	Maximum (Gradient for Veh	icle Access			RD	
		aximum gradient e 1 in 6.	for any priva	ite way used for	vehicle access	Discretion is restricted to:	
		ntial units the ma	•	e way serves no ent may be incre		a. Effects on the efficiency of land-use, safety and	
	not	e average gradien e exceed 1 in 6; au e maximum gradi	•	maintenance of the access and of the			
		d boundary; and				adjoining transport	
	(iii) The private way is sealed with a non-slip surfacing. For the purpose of this rule gradient (maximum and average) shall be measured on the centreline of the access.					network, including any positive	
	shall n		_	n in Diagram 2 of s rt of the width o		effects on the efficiency of land use.	
						b. Effects on congestion resulting from any inability of cars or certain types of cars to	

	Table 29.3 - Standards for activities outside roads				Non-compliance status
					readily use the access. c. Effects on the ability to provide
					adequate emergency vehicle access to the property/ properties.
					d. Any positive effects on achieving planned intensification and compact urban form.
29.5.17	Minimum Sight Distan	RD			
	State Highways	Discretion is			
	a. The following min	_	-		restricted to:
	complied with, as of Schedule 29.2:	on Diagram 11	a. Effects on safety,		
	Postad	efficiency, and			
	Posted speed limit (km/hr)	Sight distar	ice (m)		amenity of the site and of the transport
		Residential Activity	Other Activities		network, including the
ı	50	45	80		pedestrian and cycling
	60	65	105		environment.
	70	85	140		b. Any positive
	80	115	175		effects on
	90	140	210		achieving planned
	100	170	250		intensification
	b. Proposed and exis	ting landscaping (a	t maturity) and,	or structures	and compact urban form.
	shall be considered	d when assessing c	ompliance with	site distances.	c. Any positive
	Advice note: This Rule instead, subject to Rule		to State highwa	ys which are,	effects on the efficient use of the site or efficiency of the

	Table 29.3 - Standards	for activities	outside roads			Non-compliance status
						overall subdivision layout.
29.5.18	Minimum Sight Dista	ances from V	ehicle Access	onto State	Highways	RD
	The following minim complied with, as moschedule 29.2:	_		•		Discretion is restricted to:
	Posted spe		Sight dista	nce (m)		a. The effects on
	(km/f	ir)	113			the safety of the transport
	60		140			network.
	70		170			b. Any positive effects on
	80		203			achieving
	90		240			planned intensification and compact urban form.
	100		282			
						c. Any positive effects on the efficient use of the site or efficiency of the overall subdivision layout.
29.5.19	Maximum Number o	of Vehicle Cro	ossings			RD
	The following maxim	ium number	of crossings sh	nall be comp	olied with:	Discretion is
	Frontage length (m)	Type of roa	nd frontage			restricted to effects on safety, efficiency, and
		Local	Collector	Arterial		amenity of the
	0 - 18	1	1	1		site and of the transport
	19 - 60	2	1	1		network, including
	61 - 100	3	2	1		the pedestrian and cycling
	Greater than 100	3	3	2		environment.
	Advice note:					

	Tab	le 29.3 - Standards for a	ectivities outside roads	Non-compliance status
		s Rule does not apply t e 29.5.20.	to	
29.5.20	Mir a.	The minimum distant State Highway, regar located and whether (i) 40 metres where km/h (ii) 100 metres where	een vehicle crossings onto State Highways ce between any two vehicle crossings onto a colless of the side of the road on which they they are single or combined, shall be: the posted speed is equal to or lower than e the posted speed is 80 km/h e the posted speed is 100 km/h.	restricted to effects on the efficiency of land-
29.5.21	Mir a. b.	No part of any vehintersection of any permitted below and	ehicle Crossings from Intersections nicle crossing shall be located closer to roads than the following minimum distant as shown in Diagram 12 of Schedule 29.2: imit of less than 70 km/hr: Minimum Distance (m) from intersecting road	
	c. Ro	Collector Local Roads with a speed I Frontage Road Arterial Collector Local	30 25 imit equal to or greater than 70 km/ hr: Minimum Distance (m) from intersecting road 100 60 50 the boundaries of the site do not enable	safety and efficiency of the transport network, including the pedestrian and cycling environment. c. Urban design outcomes d. The efficiency of the landuse or subdivision layout.
	d.	•	rossing to be provided, a single vehicle cross	\triangle

	Table 29.3 - Standards for activities outside roads	Non-compliance status
	may be constructed provided it is located 0.5m from the internal boundary of the site in the position that most closely complies with the above provisions. Advice notes: 1. Distances shall be measured parallel to the centre line of the carriageway of the frontage road from the centre line of the intersecting road. Where the roadway is median divided the edge of the dividing strip nearest to the vehicle crossing shall for the purposes of this control be deemed the centre line. 2. This Rule does not apply to State highways which are, instead, subject to Rule 29.5.23.	efficient use of the site or efficiency of the overall subdivision layout. f. Any positive effects on achieving planned intensification and compact urban form.
29.5.22	 Minimum distances of Vehicle Crossings from Intersections onto State Highways a. No part of any vehicle crossing shall be located closer to the intersection of any state highway than the following minimum distances permitted below and as shown in Diagram 12 of Schedule 29.2: (i) 30 metres where the posted speed is less than 70 km/h (ii) 100 metres where the posted speed is equal to or greater than 70 km/h (iii) 200 metres where the posted speed is equal to or greater than 90 km/h. 	RD Discretion is restricted to: a. Effects on the efficiency of land-use, including positive effects. b. Effects on the safety and efficiency of the transport network, including the pedestrian and cycling environment. c. Any positive effects on the efficient use of the site or
		the site or efficiency of the overall subdivision layout. d. Any positive effects on achieving planned

	Tab	ole 29.3 - Standards for activities outside roads	Non-compliance status
			intensification and compact urban form.
29.5.23	Ser	vice Stations	RD
	a.	All service stations shall comply with the following rules:	Discretion is
	b.	The canopy shall be setback 2m from the road boundary.	restricted to effects on the
	c.	Accessways into Service Stations shall comply with the following minimum separation distances from other driveways.	efficiency of land- use and the safety and efficiency of
		(i) Between driveways for residential activities - 7.5m	the transport network, including
		(ii) Between driveways for other activities - 15m	the pedestrian
	d.	The width of any driveway into a Service Station shall comply with the following:	and cycling environment.
		(i) One way - 4.5m min and 6.0m max.	
		(ii) Two way: - 6.0m min and 9.0m max.	
	e.	Any one-way entrance or exit shall be signposted as such.	
	f.	The road boundary of the site shall be bordered by a nib wall or other device to control traffic flows and to clearly define entrance and exit points	
	g.	Pumps shall be located a minimum of 4.5m from the road boundary and 12m from the midpoint of any vehicle crossing at the road boundary. All vehicles shall be clear of the footpath and accessways when stopped for refuelling	
	h.	A minimum path width of 4.5m and a minimum inside turning radius of at least 7.5m shall be provided for vehicles through the service station forecourt, except that for pumps which are not proposed to be used by heavy vehicles, the minimum path width required is 3.5m.	
	i.	Tanker access to bulk tank filling positions shall ensure tankers drive in and out in a forward direction, without the need for manoeuvring either on the site or adjacent roadways. Where this cannot be achieved tankers shall be able to be manoeuvred so they can drive out in a forward direction.	
	j.	Tankers discharging shall not obstruct the footpath	

29.6 Non-Notification of Applications

- 29.6.1 All applications for controlled activities shall not require the written consent of other persons and shall not be notified or limited notified except that subdivisions that require consent pursuant to Rule 29.4.11A may be limited notified to the Otago Regional Council, relevant road controlling authority, and/or owner of an affected private road.
- 29.6.2 Any application for resource consent for the following restricted discretionary activities shall not be notified but may require the written consent of other persons and may be limited notified:
 - a. Park and Ride.
 - b. Access to the State Highway.
 - c. High Traffic Generating Activities in the Town Centre Zone and Ski Area Subzones only in respect of Otago Regional Council, relevant road controlling authority and/or owner of any affected private road.

Provision 29.6.2 and relief sought	Appellant Court Number
Amend 29.6.2 by inserting c. as follows:	Safari Group of Companies Ltd
c. 29.5.1 Minimum parking requirements. 29.5.2	ENV 2019 CHC 054
Location and availability of parking spaces, 29.5.3 size	
of parking spaces and layout, 29.5.4 gradient of	Appeal Withdrawn
parking spaces and parking areas, 29.5.8 residential	
parking space design	

29.7 Assessment Matters

Provision 29.7 and relief sought	Appellant Court Number
Delete section 29.7 Assessment Matters	Wayfare Group Ltd ENV-2019-CHC-076 (consent order issued) Well Smart Investments Group ENV-2019-CHC-062 (consent order issued)

- 29.7.1 In considering whether or not to grant consent or impose conditions on a resource consent, the Council shall have regard to, but not be limited by, the following assessment matters.
- 29.7.2 Discretionary Activity and Restricted Discretionary Activity Non-accessory parking, excluding off-site parking.

29.7.2.1 Whether and to what extent the non-accessory parking will:

- a. not undermine the success of the public transport system or discourage people from walking or cycling;
- b. consolidate and rationalise parking provision;
- c. result in more efficient land use within the general locality or better enable the planned growth and intensification enabled by the zone;
- d. improve the quality of the streetscape and amenity by, for example, removing on street parking or providing for some of the required parking to be provided off site;
- e. cater for an existing or projected undersupply of parking in the locality. Related to this is:
 - (i) a consideration of the type of parking proposed (such as whether it is short term or long term parking, campervan parking, or coach parking); and
 - (ii) whether alternative parking exists in the surrounding area to accommodate existing and future parking demands in the area and the extent to which parking demand can be adequately addressed by improved parking management of existing or permitted parking, without providing additional non-accessory parking.

You are also referred to Policies 29.2.1.1, 29.2.1.6, 29.2.2.1, 29.2.2.6, 29.2.2.7, and 29.2.2.9.

29.7.3 Restricted Discretionary Activity - Park and Ride and public transport facilities

29.7.3.1 Whether and to what extent the location and design of Park and Ride or any public transport facility:

Provision 29.7.3.1 and relief sought	Appellant Court Number
Assessment Matter 29.7.3.1: Add an additional criterion (f) as follows: Reduces demand on the roading network and provides an alternative to cars or other road-based transport	Queenstown Park Ltd ENV-2019-CHC-057 (consent order issued)
	Remarkables Park Ltd ENV-2019-CHC-058 (consent order issued)

- a. is within close proximity to public transport stations, stops, or terminals;
- b. is well linked to the active transport network and provides secure bicycle parking in a manner that facilitates the option of travelling to the facility by bicycle;
- c. makes public transport more convenient and more pleasant, thereby encouraging commuters and other users to shift to public transport;

- d. improves the operational efficiency of existing and future investments in the public transport network and facilitates existing and future investments in the public transport network, including public water ferry services;
- e. assists with extending the catchment for public transport into areas where it is otherwise not cost-effective to provide traditional services or feeders; and
- f. reduces demand on the roading network and provides an alternative to cars or other road-based transport.

You are also referred to Policies 29.2.1.1, 29.2.1.2, 29.2.1.5, 29.2.2.8, 29.2.3.2, and 29.2.4.8.

29.7.4 Restricted Discretionary Activity - Size of parking spaces and layout

29.7.4.1 Whether, in relation to parking spaces within buildings that do not comply with the required stall width or aisle width, the design is in accordance with the Australian/New Zealand Standard Off-street Parking, Part 1: Car Parking Facilities, AS/NZS 2890.1:2004.

You are also referred to Policies 29.2.2.1, 29.2.2.8, 29.2.2.9, and 29.2.4.9.

Provision 29.7.4 and relief sought	Appellant Court Number
Amend assessment matter 29.7.4 by inserting additional provisions,	Safari Group of Companies Ltd
as follows:	ENV 2019 CHC 054
29.7.4.2 Whether the car park layout and design, with reduced stall	
or aisle width:	Appeal Withdrawn
— maintains safety;	
<u>-contains potential effects on site;</u>	
-achieves an efficient layout;	
- maintains the amenity values of the streetscape;	

29.7.5 Restricted Discretionary Activity - Access, manoeuvring space, queuing space

- 29.7.5.1 Whether and to what extent the design, location, and number of accesses/ vehicle crossings proposed will achieve Objective 29.2.2 and the associated policies, taking into account:
 - a. the hours of operation of activities on the site and the extent to which they coincide with the peak flows and vehicle queues on the road;
 - b. any positive or adverse effects of dispersing the traffic volumes amongst more than one accesses;
 - c. the operating speed of the road and volume of vehicles on the road;
 - d. the geometry of the road;
 - e. any positive or adverse effects on the pedestrian and cycling environment and on the amenity and streetscape values of the locality;

- f. the provision of appropriate access for emergency vehicles;
- g. the extent to which the access design complies with Section 3 and Appendices E and F of the QLDC Land Development and Subdivision Code of Practice (2018); and
- h. any site constraints which affect the practicality of constructing to the standards set out in Table 29.3.
- 29.7.5.2 Whether and to what extent the manoeuvring space proposed is acceptable in terms of achieving Objective 29.2.2, taking into account:
 - a. whether the reduced space will necessitate reverse manoeuvring onto roads;
 - b. the width of the access and visibility at the road boundary; and
 - c. the provision of alternative ways of avoiding reversing onto the road, including the installation of turntables or carpark stackers.
- 29.7.5.3 Whether and to what extent a narrower private access is acceptable in terms of achieving Objective 29.2.2, taking into account:
 - a. the availability of sufficient on-site manoeuvring;
 - b. the provision of passing areas and/ or turning heads and adequate on-site parking;
 - c. the opportunity for improved urban amenity outcomes from providing a narrower private access;
 - d. the extent to which the access design complies with Table 3.2 and Appendices E and F of the QLDC Land Development and Subdivision Code of Practice (2018); and
 - e. any site constraints which affect the practicality of constructing to the standards set out in Table 29,3 of the QLDC Land Development and Subdivision Code of Practice (2018).
- 29.7.5.4 Whether and to what extent a shorter queuing space is acceptable in terms of achieving Objective 29.2.2, taking into account:
 - a. the traffic volume in surrounding streets;
 - b. the number of parking spaces on the site;
 - c. the anticipated peak traffic flows from/ to the site;
 - d. tidal flows relation to residential developments and the potential for a reduced chance of vehicles meeting one another; and
 - e. in relation to large scale non-accessory parking areas:
 - the rate of entry/ exit at control points and the freedom of movement beyond the control point in relation to carparks that have barrier arms, boom gates, or similar; and

- (ii) the hourly parking accumulation and turnover of the carpark.
- 29.7.5.5 Whether and to what extent a steeper vehicle access gradient is acceptable in terms of achieving Objective 29.2.2, taking into account:
 - a. the length, curvature, and width of the access;
 - b. the gradient of the access and break over angles adjacent to the road;
 - c. the surface of the access;
 - d. sight lines; and
 - e. the extent to which the proposed gradient applies with the AS/ NZS2890.1:2004; and
 - f. the provision of appropriate access for emergency vehicles.
- 29.7.5.6 Whether and to what extent on-site loading space is necessary or whether the reduced space proposed is acceptable in terms of achieving Objective 29.2.2, taking into account:
 - a. the disruption to the adjacent transport network resulting from on street loading due to the reduced provision or lack of on-site loading space;
 - b. whether a smaller loading space is sufficient due to the nature of the proposed activities on the site; and
 - c. whether loading on-street or allowing manoeuvring areas and/ or loading spaces to be shared will result in a higher quality pedestrian environment, which may be more appropriate in areas where it is desirable to limit access points in order to maintain or enhance safety, amenity, efficient traffic flows, intensification, or high levels of streetscape amenity.

You are also referred to Policies 29.1.1.1, 29.2.1.3, 29.2.2.1, 29.2.2.8, 29.2.2.9, 29.2.2.10, 29.2.2.11, 29.2.3.1, 29.2.4.6, 29.2.4.7, and 29.2.4.9.

- 29.7.6 Restricted Discretionary Activity Bicycle parking and the provision of showers, lockers, e bicycle charging, and changing facilities
- 29.7.6.1 Whether and to what extent the design, location, and amount of bicycle parking and end-of-trip facilities proposed may be appropriate taking into account:
 - a. whether there is adequate alternative, safe and secure bicycle parking, showers, and lockers that meet the needs of the intended users in a nearby location that is readily accessible and secured by a legal mechanism;
 - b. whether the required bicycle parking and end of trip facilities can be provided and maintained via a jointly-used facility; and
 - c. whether the location of the activity is such that it is unrealistic to expect staff or visitors to travel by bicycles (including electric bicycle) now or in the future.

You are also referred to Policies 29.2.4.3 and 29.2.4.4.

29.7.7 Restricted Discretionary and Controlled Activities – High Traffic Generating Activities

- 29.7.7.1 As appropriate to the nature and scale of the proposal, whether and to what extent:
 - a. an Integrated Transport Assessment has been provided with the application and is sufficiently detailed to understand the anticipated trip generation by all modes of transport, the accessibility of a proposal by all modes of transport, the transport effects of the proposal, and the proposed methods of avoiding or mitigating the transport effects;
 - the trip generation and transport effects of the proposed landuse or subdivision will
 be the same or similar in character, intensity and scale to those assessed in an
 approved Integrated Transport Assessment that relates to the site as submitted in a
 previously approved resource consent;
 - c. the proposed landuse or subdivision is in accordance with district plan provisions that were informed by a detailed Integrated Transport Assessment and will result in associated trip generation and transport effects that are the same or similar in character, intensity and scale to those identified in the previous assessment;
 - d. the proposed activity integrates with the transport network, taking into account other methods incorporated into the District Plan designed to facilitate modal shift and reduce traffic generation, including to the extent relevant, any structure plan or comprehensive development plan;
 - e. any improvements to the transport network either within the site or in the vicinity of the site are proposed, including additions or improvements to the active and public transport network and infrastructure and the road;
 - f. the site and/ or its frontage have been designed to accommodate any planned public transport infrastructure proposed by Council;
 - g. public and active transport infrastructure is proposed to be provided or upgraded or, where planning for such infrastructure is not sufficiently advanced, space is provided for such infrastructure to be installed in the future;
 - h. public transport stops are provided in locations and at spacings that provide safe and efficient access to users;
 - i. a Travel Plan is proposed to be provided containing travel demand management techniques;
 - j. the amount of accessory parking proposed will contribute toward travel demand management;
 - k. electric vehicle charging points are proposed to be provided;
 - the proposed design of the road, pedestrian and cycle network results in improved transport outcomes that justify a departure from the Land Development and Subdivision Code of Practice (2018); and

m. the proposed activity facilitates further development otherwise provided for in the District Plan.

You are also referred to Policy 29.2.4.4.

29.8 Minimum Parking Requirements

	Table 29.4			
	Minimum Parking Requirements		Resident/ Visitor	Staff/ Guest
	Visitor Accommodation Activities			
29.8.1	Medium Densi	ontaining a n as motels and esidential Zone ty Residential Park and Suburb stown	Where over 30 units are proposed over one or more sites, 1 coach park per 30 units, provided that coach parks may overlay car parking spaces or may be located offsite, provided that where located offsite in accordance with Rule 29.5.2, a loading area shall be provided on the site containing the visitor accommodation. Footnotes (3)(4)	
	relief sought	Court Number		
	Table 29.4: remove the requirement for on-site coach parking in urban area. Well Smart Investments Group ENV-2019-CHC- 062 Consent order issued			
	Site-specific relief as part of a requested rezoning: Amend Rule 29.8 such that the minimum car parking requirements for visitor accommodation within the Visitor Accommodation sub-Zone is provided for within rules 29.8.10 and 29.8.15.	Quartz Commercial Group Limited ENV-2021-CHC- 056 Withdrawn		

	Table 29.4			
	Minimum Parking Requirements		Resident/ Visitor	Staff/ Guest
29.8.2	Unit type visitor acc (includes all units c kitchen facility such cabins) except in th in standards 29.8.1	ontaining a n as motels and nose zones listed	Where over 30 units are proposed over one or more sites: 1 coach park per 30 units, provided that coach parks may overlay car parking spaces or may be located off-	
	Teller sought Court Number	site, provided that where located off-site in accordance with Rule 29.5.2, a loading		
	Table 29.4: remove the requirement for on-site coach parking in urban area.	Well Smart Investments Group ENV-2019-CHC- 062 Consent order issued	area shall be provided on the site containing the visitor accommodation. Footnote (1)	
29.8.3	Guest room type visitor accommodation (e.g. hotels) in the: High Density Residential Zone Medium Density Residential Zone between Park and Suburb Streets, Queenstown Business Mixed Use Zone		Where over 50 guest rooms are proposed over one or more sites; 1 coach park per 50 guest rooms, provided that coach parks may overlay car parking spaces or may be located off-site, provided that where located off-site in accordance with Rule 29.5.2, a loading area shall be provided on the site containing the visitor accommodation.	

Table 29.4	Table 29.4		
Minimum Parking	Minimum Parking Requirements		Staff/ Guest
Rule 29.8.15 and relief sought	Appellant Court Number		
Rules 29.8.15 and 29.8.16: Amend as follows: In addition, where over 50 beds are proposed over one or more sites; 1 coach park per 50 guest rooms up to a maximum of 2 coach parks, provided that coach parks Each coach park that is provided equates to an equivalent of 30 car parks for the purposes of compliance with minimum car parking requirements.	Remarkables Park Ltd ENV-2019-CHC- 058 Withdrawn		
Rule 29.8.15: Amend as follows: 1 per <u>6</u> 4 guest rooms up to <u>40</u> 60 guest rooms; thereafter 1 per <u>8</u> 5 guest rooms.	Remarkables Park Ltd ENV 2019 CHC 058 Withdrawn		
Table 29.4: remove the requirement for on-site coach parking in urban area.	Well Smart Investments Group ENV-2019-CHC- 062 Consent order issued		
Site-specific relief as part of a requested rezoning: Amend Rule 29.8 such that the minimum car parking requirements for visitor accommodation within the Visitor Accommodation sub-Zone is provided for within	Quartz Commercial Group Limited ENV 2021 CHC 056 Withdrawn		

	Table 29.4			
	Minimum Parking Requirements		Resident/ Visitor	Staff/ Guest
	rules 29.8.10 and 29.8.15.			
29.8.4	Guest room type visitor accommodation (e.g. hotels) in all zones other than zones listed in Rule 29.8.15		Where over 50 guest rooms are proposed over one or more sites; 1 coach park per 50 guest rooms, provided that coach parks may overlay car parking spaces or may be located off-site, provided that where located off-site in accordance with Rule 29.5.2, a loading area shall be provided on the site containing the visitor accommodation.	

	Table 29.4			
	Minimum Parking Requirements	Resident/ Visito	or	Staff/ Guest
		Rule 29.8.16 and relief sought	Appellant Court Number	
		Rule 29.8.16: Amend as follows: 1 per 5-3 guest rooms up to 40 60 guest rooms; thereafter 1 per 7-5 guest rooms.	Remarkables Park Ltd ENV-2019- CHC-058 Withdrawn	
		Rules 29.8.15 and 29.8.16: Amend as follows:	Remarkables Park Ltd ENV-2019- CHC-058 Withdrawn	
		In addition, where over 50 beds are proposed over one or more sites; 1 coach park per 50 guest rooms up to a maximum of 2 coach parks, provided that coach parks Each coach park that is provided equates to an equivalent of 30 car parks for the purposes of compliance with minimum car parking requirements.	Withdrawn	
		Table 29.4: remove the requirement for on-site coach parking in urban area.	Well Smart Investments Group ENV 2019 CHC-062 Consent order issued	
29.8.5	Backpacker hostel type visitor accommodation	Where over 50 b proposed over o sites; 1 coach pa beds, provided t parks may overla spaces or may be site in accordance	ne or more rk per 50 hat coach ay car parking e located off-	

	Table 29.4			
	Minimum Parking Requirements		Resident/ Visitor	Staff/ Guest
	Rule 29.8.17 and relief sought	Appellant Court Number	29.5.2 provided that where located off-site, a loading area shall be provided on the site	
	Table 29.4: remove the requirement for on-site coach parking in urban area.	Well Smart Investments Group ENV-2019-CHC- 062 Consent order issued	containing the visitor accommodation. Footnote (1)	
	Commercial Activit	ies		
29.8.6	Commercial activity, other than where the commercial activity is more specifically defined elsewhere in this table (Table 29.5)		For large format retail, of the total parking provided, 1 park per 500m² GFA shall accommodate a medium rigid truck (in order to accommodate campervans and other vehicles larger than a B85 vehicle).	
29.8.7	Motor vehicle repair and servicing		Two heavy vehicle parking spaces per establishment	
29.8.8	Drive-through facility except in the Town Centre		5 queuing spaces per booth or facility, based on a B85 vehicle.	
	Community Activit	ies		
29.8.9	Convention centre		One coach park per 50 people	0
	Rule 29.8.37 and relief sought	Appellant Court Number	the site is designed to accommodate.	
	Table 29.4: remove the requirement for on-site coach parking in urban area.	Well Smart Investments Group ENV-2019-CHC- 062 Consent order issued		
29.8.10	Emergency Service Facilities:		Emergency service vehicle bay	Emergency service vehicle bay

29.8.41 The following advice notes apply to all provisions relating to minimum parking requirements:

29.8.41.1 In calculating the total parking requirement:

- a. the requirement for residents/ visitors and the requirement for guests/ staff shall be added together (including fractional spaces), then rounded up or down in accordance with 29.9.38.1(c) below.
 - b. where a development comprises more than one activity, the parking requirements for all activities shall be added together (including fractional spaces), and then then rounded up or down in accordance with 29.9.41.1(c) below.
 - c. where the total parking requirement (as outlined in (a) and (b) above) for the development includes a fraction less than 0.5 it shall be disregarded and where it includes a fraction equal to or greater than 0.5, the parking requirement shall be rounded up to the next highest whole number, except that where the total carpark requirement is a fraction less than 1.0 (e.g. in the case of a single residential unit in the High Density Residential zone) then this shall be rounded up to 1.0.
 - d. The area of any parking space(s) and vehicular access, drives, and aisles provided within a building shall be excluded from the assessment of gross floor area of that building for the purpose of ascertaining the total number of parking spaces required or permitted.
 - e. Where the parking requirement is based on the number of bedrooms within a residential or visitor accommodation unit, any room with a window and which is able to be shut off from any living room or communal part of the unit shall be deemed to be a bedroom, regardless of whether it is identified as such on the building plans.

Dravision 20 9 41 and valief squake	Annellost
Provision 29.8.41 and relief sought	Appellant Court Number
	Court Number
Rule 29.8.41.1; Amend as follows:	Remarkables Park Ltd
In calculating the total parking requirement:	ENV-2019-CHC-058
a. The requirement for residents / visitors and the	Withdrawn
· · · · · · · · · · · · · · · · · · ·	Withurawii
requirement for guests / staff shall be added together	
(including fractional spaces), then rounded up or down in	
accordance with 29. 9 8.38.1(c) below.	
b. Where a development comprises more than one activity,	
the parking requirements for all activities shall be added	
together (including fractional spaces), and then rounded up	
or down in accordance with	
29.9.38.1(c) below.	
f. When calculating the overall parking requirements for a	
development, the separation of area into different activities	
(for the purposed of b. above) will be required where the	
gross floor area of an activity (or public floor space or other	
such measurement that the standards for the relevant	
activity is based upon) exceeds 10% of the total gross floor	
space of the development. The total parking requirement for	
any development shall be the sum of the requirements for	
each area.	
Exclusions from measurement of GFA should also include	Wayfare Group Ltd
lobbies, circulations spaces etc as these spaces should not	ENV-2019-CHC-076
generate parking demand (such rules can create perverse	Consent order issued
design incentives)	
	Well Smart Investments Group
	ENV-2019-CHC-062
	Consent order issued
Amend provision 29.8.41.1 to reintroduce the 10% Rule as per	Safari Group of Companies Ltd
ODP, as follows:	ENV 2019 CHC 054
- CD1 , us follows:	2013 6116 63 1
where a development comprises more than one activity, the	Appeal Withdrawn
parking requirements for all activities shall be added	
together (including fractional spaces), and then then	
rounded up or down in accordance with 29.9.38.1(c)	
below where the gross floor area of an activity (or public	
floor space or other such measurement that the standards	
for the relevant activity is based upon) exceeds 10% of the	
total gross floor space of the development. The total parking	
requirement for any development shall be the sum of the	
requirements for each area.	
Site-specific relief as part of a requested rezoning:	Arthurs Point Land Trust
The specific as part of a requested recorning.	ENV 2021 CHC 040
Amend Advice Note 29.8.41 minimum car parking	Consent order issued
requirements, as follows:	
f. When calculating the overall parking requirements for a	
development, the separation of an area into different	
activities (for the purposed of b. above) will be required	
where the gross floor area of an activity (or public floor	
space or other such measurement that the standards for the	
relevant activity is based upon) exceeds 10% of the total	
gross floor space of the development. The total parking	
requirement for any development shall be the sum of the	
requirements for each area.	

Footnote (1): The site's access and three of the spaces must be arranged so that a tour coach can enter and park on or near these spaces. This includes applications to develop over 30 units over one or more sites in the Medium Density Residential Zone where no coach parking is specifically required.

29.9 Thresholds for new high traffic generating activities, including changes of use

Provision 29.9 and relief sought	Appellant Court Number
Delete Rule 29.9/Table 29.5 relating to thresholds for new high traffic generating activities	RCL Henley Downs Ltd and Others ENV-2019-CHC-022 Consent order issued
Delete Table 29.5	Willowridge Developments Ltd ENV-2019-CHC-017 Consent order issued

	Table 29.5		
	Activity	Development type	Threshold
29.9.1	Residential	Residential units	50 Residential units
29.9.2	Visitor accommodation	Visitor accommodation (unit type construction)	100 units
29.9.3	Visitor accommodation	Visitor accommodation (guest room type construction).	150 rooms
29.9.4	Commercial Activities, other than those specifically listed below		2000m ²
29.9.5	Office		2000m ²
29.9.6	Retail		1000m ²
29.9.7	Industrial		5000m ²
29.9.8	Mixed use development6s, changes of use and all other activities		50 or more car parking spaces proposed
29.9.9	Mixed use developments, changes of use, subdivision and all other activities		Traffic generation of greater than 400 additional vehicle trips per day or 50 additional trips during the commuter peak hour.

Advice notes:

- 1. Where the scale of an existing use is increased or there is a change in use on a site, the existing use is not included in determining whether the thresholds will be exceeded and consent is required under Rule 29.4.11. In respect of any consent application under Rule 29.4.11, the activity requiring consent and the assessment of effects does not include the existing use.
- 2. Where an application is made for a new building (including where it comprises multiple tenancies and/or a mix of uses) the total floor area of the building will be considered in determining whether the thresholds(s) will be exceeded and consent is required under Rule 29.4.11.

29.10 Minimum requirements for cycle parking, lockers and showers

Table 29.6	Table 29.6						
	Activity	Customer/Visitor Short-Term Bicycle Parking	Private Long-Term Bicycle Parking. This is for the use of staff, students, and residents.	End of trip facilities			
29.10.1	Office	2 bicycle spaces (i.e. 1 stand) for the first 500m ² GFA and 1 space for every 750m ² GFA, thereafter.	For offices at least 150m² in area, 1 space per 150m² GFA	Where 1 long-term bicycle parking space is required: no end of trip facilities required.			
29.10.2	Industrial and Service Activities	Nil	For such activities of at least 500m ² in area, 1 space per 500 m ² GFA	Where 8 2-10 long-term bicycle parking spaces required: 1 locker per every			
29.10.3	Hospital	1 bicycle space per 25 beds	1 per 10 beds	space required <u>.</u>			
29.10.4	Other Health Care Facility	For facilities of at least 100m ² in area, 1 per 100m ² GFA	For facilities of at least 200m² in area, 1 space per 200m² GFA	Where 11-100long-term bicycle parking spaces required: 1 locker for			
29.10.5	Restaurants, Cafes, Taverns and Bars	2 bicycle spaces (i.e. 1 stand) for the first 125m ² PFA and 1 space for every 150m ² GFA, thereafter	For such activities facilities of at least 500m² in area, 1 space per 500m² GFA	every space required and 1 shower per every 10 spaces required_Footnote (1). Where >100 long-term bicycle parking			
29.10.6	Day care facility	2 bicycle spaces per centre	For facilities with at least 10 workers, 1 bicycle space per 10 on-site workers	spaces required: 10 showers for the first 100 spaces required plus two showers for each additional 50 spaces required			
29.10.7	Educational Facility – primary and secondary	1 visitor space per 50 students (capacity)	1 per 5 pupils Year 5 and above (capacity) for primary and secondary schools	Nil			
29.10.8	Educational Facility - tertiary	1 visitor space per 50 students (capacity)	1 student/staff space per 5 FTE students (capacity)	Where 1 long-term bicycle parking space is required: no end of trip facilities required.			
				Where 2-20 long-term bicycle parking spaces are required: 1 locker per every space required.			
				Where >20 long-term bicycle parking spaces are required: 1 locker for every			

Table 29.6	Table 29.6					
	Activity	Customer/Visitor Short-Term Bicycle Parking	Private Long-Term Bicycle Parking. This is for the use of staff, students, and residents.	End of trip facilities		
				space required and 1 shower per every 10 spaces required. Footnote (1).		
29.10.9	Retail < 300m ²	Nil	Nil	Nil		
29.10.10	Retail ≥ 300m ²	For retail at least 300m² in area, 1 space per 300m² GFA	For retail of at least 200m² in area, 1 space per 200m² GFA	Nil		
29.10.11	Recreational Activity	1 space per court/bowling alley lane	Nil	Nil		
		Gymnasium of at least 200m ² in area: 1 space per 200m ² of GFA				
		3 spaces per field for field sports				
		3 spaces per netball court				
		1 space per tennis court				
		1 space per 15m2 of GFA for Club for clubhouse component				
29.10.12	Places of assembly, community activities, and places of entertainment	For such activities of at least 500m ² in area, 2 bicycle spaces per 500m ² located directly outside the main entrance or ticket office	For such activities of at least 500m ² in area, 1 space per 500 m ² GFA	Nil		

- 29.10.13 The following advice note applies to all the provisions in Table 29.6 relating to minimum requirements for cycle parking, lockers, and showers:
- 29.10.14 In calculating the requirement, all development floor areas cited in the above table shall be rounded down. For example, an office space development of 150m² would require one Private Long-Term Bicycle Parking space and an office of 510m² would require four spaces.
- 29.10.15 The following footnotes apply only where indicated in Table 29.6:
 - Footnote (1): One unisex shower where the shower and associated changing facilities are provided independently of gender separated toilets, or a minimum of two showers (one separate shower per gender) with associated gender separated toilet/changing facilities.

29.11 Car Parking Sizes and Layout

Provision 29.11 and relief sought	Appellant Court Number
Table 29.11: Delete table and replace with the requirements of AS/NZS 2890.1:2004.	Remarkables Park Ltd ENV-2019-CHC-058 (Consent Order issued)

Table	29.7								
Parki	ng Angle	Stall Width (m)	Aisle Width (m)	Aisle Run (m)	Stall Depth (m)	Overhang (m)	Wheel-stop Depth (m)	Interlock Depth (m)	Stall Depth (m)
90	Class 1 User	2.4	7.0		5.0	0.8	4.2		
		2.5	6.6		5.0	0.8	4.2		
		2.6	6.2		5.0	0.8	4.2		
	Class 2 User	2.5	8.0		5.0	0.8	4.2		
		2.6	7.0		5.0	0.8	4.2		
		2.7	6.0		5.0	0.8	4.2		
Mob	lity	3.6	8.0		5.0	0.8	4.2		
60º		2.5	4.5	2.9				1.25	5.55
		2.7	4.0	3.1				1.35	5.65
		2.9	3.5	3.4	5.4	0.8	4.6	1.45	5.75
		3.0	3.5	3.5				1.5	5.8
45º		2.5	3.8	3.5				1.8	5.3
		2.7	3.5	3.8				1.9	5.4
		2.9	3.5	4.2	5.0	0.7	4.3	2.05	5.55
		3.0	3.5	4.2				2.1	5.6
30º		2.5	3.5	5.0				2.15	4.65
		2.7	3.5	5.4				2.3	4.8

	2.9	3.5	5.8	4.4	0.6	3.8	2.5	5.0
	3.0	3.5	6.0				2.6	5.1
Parallel parking	Stall Length (m	n) = 6.1	Stall Width (m) = 2.5	Aisle Width (m) = 3.7		

29.11.1 The following notes apply to Table 29.7 in relation to car parking sizes and layout:

- 1. Two way flow is permitted with 90° parking.
- 2. Aisle run distances are approximate only.
- 3. Stall widths shall be increased by 0.300m where they abut obstructions such as columns or walls. For mobility parking spaces obstructions would include a kerb or garden.
- 4. Minimum one way aisle width 3.7m.
- 5. Minimum two way aisle width 5.5m.
- 6. At blind aisles, the aisle shall be extended a minimum of 1m beyond the last parking space.
- 7. The installation of a vehicle turntable is an acceptable alternative for residential units and residential flats to achieve the required manoeuvring space.
- 8. Class 1 User: long term parking, including tenant and employee parking but not visitor parking, where regular use gives the motorist a familiarity with the building or parking area.
- 9. Class 2 User: short to medium term parking, including visitor parking, parking associated with visitor accommodation and general town centre parking, where goods can be expected to be loaded into vehicles.
- 10. Narrower parking spaces may be acceptable for parking areas in buildings where they are designed in accordance with the Australian/New Zealand Standard Off-street Parking, Part 1: Car Parking Facilities, AS/NZS 2890.1:2004.

Provision 29.11.1 and relief sought	Appellant Court Number
Amend 29.11.1 as follows:	Safari Group of Companies Ltd
1. The requirements in Table 29.7 are to be applied as a guideline. Where the requirements are not	ENV-2019-CHC-054
met, then the effects of the breach shall be assessed taking into account the overall car park design.	2111 2013 6116 63 1
the level of safety and amenity and whether the effects are contained on site. Non compliance with	Appeal Withdrawn
the Table requires restricted discretionary activity consent and discretion is reserved over the effects	
of the breach. Breaches to the requirements must be assessed on a case by case basis and can be	
appropriate depending on the specific circumstances.	
	
Stall widths shall should be increased by 0.300m where they abut obstructions such as columns or	
walls. For mobility parking spaces obstructions would include a kerb or garden.	
Minimum one way aisle width should be 3.7m.	
Minimum two way aisle width should be 5.5m.	
At blind aisles, the aisle shall should be extended a minimum of 1m beyond the last parking space.	
	
Note that the requirements in Table 29.7 require visitor parking to meet the requirements usually	
imposed for town centre parking. When assessing a breach of the Table 29.7 requirements the	
following factors should be taken into account:	
- Traffic movements for short stay visitor accommodation are less than in a town centre or in	
residential activity	
Because short stay visitors are less familiar with the parking layout they will likely be	
travelling at slower speeds. This reduces safety effects associated with reduced dimensions.	
 Many modern vehicles have improved manoeuvrability and have reversing cameras. 	
Narrower parking spaces may be acceptable for parking areas in buildings where they are designed in	
accordance with the Australian/New Zealand Standard Off-street Parking, Part 1: Car Parking	
Facilities, AS/NZS 2890.1:2004. This takes into account the fact that the AS/NZS 2890.1:2004 imposes	
different requirements between Class 2 and Class 3 users and specifies reduced dimensional	
requirements compared to Table 27.9. As identified in Note 1 these standards are to be applied as a	
guideline.	

29.12 Heavy Vehicle Parking Layout

Table 29.8				
Parking Angle	Vehicle Type	Minimum Stall Depth (m)	Minimum Aisle Width (m)	Minimum Stall width and minimum width of access path to service tour coaches
90º	Medium Rigid Truck Large Rigid Truck Semi – Trailer B – Train Midi – Bus Tour Coach	9.0 12.0 18.0 21.0 10.3 13.6	16.0 19.5 26.0 26.0 16.0 24.0	3.5 stall width and 1.5m pedestrian access path to service tour coaches
60º	Medium Rigid Truck Large Rigid Truck Semi – Trailer B – Train Midi – Bus Tour Coach	9.43 12.03 17.22 19.82 10.59 13.41	10.5 14.0 19.0 19.0 10.5 18.0	3.5 stall width and 1.5m pedestrian access path to service tour coaches
45º	Medium Rigid Truck Large Rigid Truck Semi – Trailer B – Train Midi – Bus Tour Coach	8.64 10.76 15.0 17.12 9.58 11.89	- - - -	3.5 stall width and 1.5m pedestrian access path to service tour coaches
30º	Medium Rigid Truck Large Rigid Truck Semi – Trailer B – Train Midi – Bus Tour Coach	7.3 8.8 11.8 13.3 7.97 9.6	6.0 8.0 11.0 11.0 6.0 10.0	3.5 stall width and 1.5m pedestrian access path to service tour coaches

Advice note: Alternative heavy vehicle parking arrangements may be appropriate where design vehicle tracking curves demonstrate unimpeded manoeuvring into spaces with no more than one reverse manoeuvre permitted when entering, and no more than one reverse manoeuvre permitted upon exit.

29.13 Schedule 29.1- Road Classification

State Highways			
Road Name	Start Name	End Name	
Albert Town			
State Highway 6	Dublin Bay Road	Alison Avenue	
Frankton			
State Highway 6/ Grant Road Roundabout	Start of Roundabout	End of Roundabout	
State Highway 6/ Hawthorne Drive Roundabout	Start of Roundabout	End of Roundabout	
SH6/ Lucas Place Roundabout	State Highway 6 Queenstown side	State Highway 6 Queenstown side	
State Highway 6	Pisa Road	Drift Bay Road	
State Highway 6A	Kawarau Rd (S State Highway 6)	Middleton Road	
State Highway 6A/BP/Frankton Road Roundabout	State Highway 06A	State Highway 06A	
State Highway 6 Stalker Road Roundabout	State Highway 6	State Highway 6	
Hāwea			
State Highway 6	Meads Road	Dublin Bay Road	
Kingston			
State Highway 6	Drift Bay Road	End	
Luggate			
State Highway 6	Alison Avenue	Pisa Road	
State Highway 8 <u>A</u>	State Highway 8 <u>A</u> Intersection	State Highway 6 Intersection	
Makarora			
State Highway 6	Haast Makarora Road	Meads Road	
Queenstown			
State Highway 6A	Middleton Road	Beach Street	
State Highway 6A/ Brecon Street/Rees Street	Brecon Street (lower)	Brecon Street (lower)	
State Highway 6A/ Camp Street East/ West Roundabout	Camp Street (West)	Camp Street (West)	
Wānaka Urban			
State Highway 84	State Highway 6 Intersection	State Highway 84/ Ardmore Street/ Brownston Street	

Arterial Roads						
Road Name	Start Name	End Name				
Arrowtown						
Arrowtown-Lake Hayes Road	Butel Road	Malaghans Road				
Bedford Street	Buckingham Street	Suffolk Street				
Berkshire Street	Malaghans Road	Buckingham Street				
Berkshire Street/Wiltshire Street Roundabout	Whiltshire Street	Whiltshire Street				
Buckingham Street (East)	Wiltshire Street	Bedford Street				
Centennial Avenue	Bedford, Suffolk, Ford, Devon Streets	McDonnell Road				

		IIIANOI OILI 23	
Arterial Roads			
Road Name	Start Name	End Name	
Crown range Road	State Highway 6	Glencoe Road	
Malaghans Road	Middlerigg Lane	Lake Hayes/ Arrowtown Road	
Wiltshire Street	Roundabout	Buckingham Street	
Arthurs Point			
Arthurs Point Road	Oxenbridge Place Road	Littles Road	
Gorge Road	Industrial Place	Oxenbridge Place Road	
Ben Lomond			
Glenorchy-Queenstown Road	Sunshine Bay Boat Ramp	Moke Lake Road	
Cardrona			
Cardrona Valley Road	Bridge #11/erp 16/8.11	Riverbank Road	
Closeburn			
Glenorchy-Queenstown Road	Moke Lake Road	Twelve Mile Delta	
Dalefield			
Lower Shotover Road	Spence Road	Speargrass Flat & Hunter Road	
Malaghans Road	Littles Road	Middlerigg Lane	
Fernhill			
Fernhill Road	Queenstown Glenorchy Road	Watts Road	
Glenorchy-Queenstown Road	Fernhill Road (North)	Sunshine Bay Boat Ramp	
Frankton			
Glenda Drive	SH Roundabout	End of Road	
Grant Road	State Highway 6	Road 8 as shown on the Frankton Flats B Zone Structure Plan in the Queenstown Lakes District Plan 2016	
Hardware Lane	State Highway 6	Jock Boyd Place	
Hardware Lane Roundabout	Hardware Lane	Hardware Lane	
Hawthorne / Glenda Drive Roundabout	Start of Roundabout	End of Roundabout	
Hawthorne Drive	Roundabout	Glenda Drive	
Hawthorne Drive North section	State Highway Roundabout	Glenda Drive Roundabout	
Hawthorne Drive Roundabout	Lucas Place	Lucas Place	
Lucas Place	State Highway 6	Robertson Street Roundabout	
Lucas Place Roundabout	Lucas Place	Lucas Place	
Kelvin Heights			
Peninsula Road	State Highway 6	Willow Place	
Lake Hayes			
Arrowtown-Lake Hayes Road	State Highway 6	Butel Road	
Howards Drive	State Highway 6 RS 983/7.24	Howards Drive North	
Lower Place Road	State Highway 6	Spence Road	
Mcdonnell Road	Centennial Ave	State Highway 6	
Lake Hayes South			
Banbury Roundabout	Stalker Road	Stalker Road	
Stalker Road	Roundabout New Layout	Jones Avenue	

Arterial Roads			
Road Name	Start Name	End Name	
Woodstock Roundabout	Stalker Road	Stalker Road	
Quail Rise			
Tucker beach Road	State Highway 6	Jims way	
Queenstown			
Ballarat Street (West)	State Highway Traffic Lights	Camp Street	
Beach Street	Shotover Street	Brunswick Street	
Camp Street (East)	State Highway 6A/ Shotover Street	Roundabout	
Camp Street (West)	State Highway 6A	Isle Street	
Camp Street/Church Street Roundabout	Camp Street (East)	Camp Street (East)	
Dublin Street	Frankton Road (State Highway 6A)	Hallenstein Street	
Fernhill Road/Lake Esplanade Roundabout	Lake Esplanade	Lake Esplanade	
Gorge Road	Shotover Street/Henry Street	Industrial Place	
Industrial Place	Gorge Road	End Industrial Place	
Lake Esplanade	Brunswick Street	Roundabout	
Man Street	n Street Camp Street		
Man Street/ Camp Street Roundabout	Camp Street (West)	Camp Street (West)	
Memorial Street	Stanley Street	Camp Street	
Robins Road	Gorge Road	Isle Street	
Shotover Street	State Highway Traffic Lights	Gorge Road	
Stanley Street	State Highway Traffic Lights	Memorial Street	
Wānaka Rural			
Crown Range Road	Glencoe Road	End of Bridge #11	
Glenorchy			
Glenorchy-Queenstown Road	Twelve Mile Delta	Oban Street 50/100km sign	
Oban Street	Glenorchy-Queenstown 50/ 100km	Mull Street	
Wānaka Urban			
Anderson Road	Roundabout	Aubrey Road	
Brownston Street (East)	MacDougall Street Roundabout Riverbank Road Faulks Terrace		
Cardrona Valley Road			
McDougall Street	Faulks Terrace	Brownston Street	

Collector Roads			
Road Name	Start Name	End Name	
Albert Town			
Alison Avenue	State Highway 6	Gunn Road	
Aubrey Road	Outlet Road	State Highway 6	
Gunn Road	Lagoon Avenue	Aubrey Road	

		TRANSI SIKI 23	
Collector Roads			
Road Name	Start Name	End Name	
Gunn Road/Aubrey Road Roundabout	Aubrey Road	Aubrey Road	
Arrowtown			
Adamson Drive	Kent Street	Centennial Avenue	
Bush Creek Road	Manse Road	End of Road	
Caernarvon Street	Manse Road	Denbigh Street	
Kent Street (Arrowtown)	Merioneth Street	Stafford, Denbeigh Streets	
Manse Road	Malaghans Road	Caernarvon Street	
McDonnell Road	Arrowtown Lake Hayes Road	80km sign	
Ramshaw Lane	Buckingham Street	Wiltshire Street	
Stafford Street	Berkshire Street	Denbigh Street	
Wiltshire Street	Buckingham Street	Ramshaw Lane	
Wiltshire Street	Caernarvon Street	Roundabout	
Dalefield			
Coronet Peak Road	Malaghans Road	End of Road	
Dalefield Road	Speargrass Flat/Littles Road	Malaghans Road	
Domain Road (Lake Hayes)	Lower Shotover Road	Littles/Speargrass Flat Road	
Hunter Road	Speargrass Flat Road	Malaghans Road	
Littles Road	Arthurs Point Road	Domain & Dalefield Road	
Speargrass Flat Road	Domain/Dalefield Roads	Slopehill Rd East (End of Seal)	
Fernhill			
Aspen Grove Roundabout	Richards Park Lane	Richards Park Lane Queenstown Glenorchy Road Aspen Grove	
Fernhill Road	Watts Road		
Richards Park Lane	Fernhill Road		
Sainsbury Road	Fernhill Road	Thorn Crescent	
Aspen Grove	Thorn Crescent Aspen Grove Roundabout		
Frankton			
Boyes Crescent	McBride Street	Wilmot Avenue	
Douglas Street	Robertson Street	End of Road	
Frankton Shopping Centre Street	McBride Street	Gray Street	
Grant Road	Road 8 as shown on the Frankton Flats B Zone Structure Plan in the Queenstown Lakes District Plan 2016	End of Road	
Gray Street	State Highway 6	McBride Street	
Humphrey Street	State Highway 6	Douglas Street	
Lake Avenue	Yewlett Crescent McBride Street		
McBride Street	State Highway 6A	State Highway 6	
Riverside Road East	Roundabout	Kawarau Place	
Riverside Road West	Road West Kawarau Place Roundabout		
Robertson Street (East)	Douglas Street	Riverside Road	
Yewlett Crescent	State Highway 6A	Lake Avenue	
Hāwea			

		TRANSPORT 29	
Collector Roads			
Road Name	Start Name	End Name	
Camp Hill Road	State Highway 6	Gladstone/Kane Road	
Capell Avenue	State Highway 6	Lake View Terrace	
Cemetery Road (Hāwea)	Domain Road	Gladstone Road, Gray Road	
Domain Road (Lake Hāwea)	Capell Avenue	Gladstone Road	
Gladstone Road	Camphill Road	Cemetery Road	
Kane Road	State Highway 8A	Camphill Road	
Lake View Terrace	Capell Avenue	Muir Road	
Muir Road	Corner at 1412	Cemetery Road	
Kelvin Heights			
Peninsula Road	Willow Place	Grove Lane	
Kingston			
Kent Street (Kingston)	State Highway 6	Somerset Street	
Lake Hayes			
Hogans Gully Road	Arrowtown Lake Hayes Road	End of Seal	
Howards Drive North	Howards Drive	Nerin Square	
Howards Drive Roundabout	Howards Drive	Howards Drive	
Howards Drive South	Nerin Square	Howard's Drive	
McDonnell Road	80km sign	Centennial Ave	
Nerin Square	Howards North/South	Howards North/South	
Speargrass Flat Road	Slopehill Rd East (End of Seal)	Lake Hayes Arrowtown Road	
Lake Hayes south			
Jones Avenue	Howards Drive	Stalker Road	
Jones Avenue Roundabout	Stalker Road	Stalker Road	
Luggate			
Church Road	State Highway 6	State Highway 8A	
Quail Rise			
Ferry Hill Drive	Tucker Beach Road	Coleshill Lane	
Queenstown			
Athol Street	State Highway 6A	End of Street	
Ballarat Street (East)	State Highway Traffic Lights	Hallenstein Street	
Boundary Street (Queenstown)	Start (Robins Road end)	Gorge Road	
Brecon Street (upper)	Man Street	End Brecon Street	
Brecon Street (lower)	State Highway 6A	End Brecon Street (lower)	
Brunswick Street	Lake Esplanade	Thompson Street	
Camp Street (East)	Roundabout	Earl Street - Seal Change	
Church Street	Marine Parade	Camp Street	
Coronation Drive	State Highway 6A/ Stanley Street	Sydney Street (LHS)	
Dublin Street	Hallenstein Street	Edinburgh Drive	
Duke Street	Roundabout	Brecon Street (lower)	
Earl Street	Camp Street	Marine Parade	
Edgar Street	Hallenstein Street	Kent Street	
Edinburgh Drive	York Street/Dublin Street	Wakatipu Heights	


		TRANGI ORT 23	
Collector Roads			
Road Name	Start Name	End Name	
Frankton Road	Stanley Street	Sydney Street	
Fryer Street	Hamilton Road	High School-end Fryer Street	
Goldfield Heights	State Highway 6A	St Georges Avenue	
Hallenstein Street	Gorge Road	Dublin Street (End of Road)	
Hamilton Road	Robins Road	Fryer Street	
Hensman Road	State Highway 6A	Wakatipu Heights	
Highview Terrace	Hensman Road	St Georges Avenue	
Hylton Place	Gorge Road	End of Hylton Place	
Industrial Lane	Industrial Place	End of cul de sac	
Isle Street	Robins Road	Hay Street	
Lake Street	Lake Esplanade	Man Street	
Marine Parade (East)	Earl Street	Church Street	
Marine Parade (West)	Rees Street	Church Street	
Panorama Terrace	Suburb Street North	Hensman Road	
Rees Street	Marine Parade	Shotover Street	
St Georges Avenue	Goldfield Heights	Highview Terrace	
Suburb Street (North)	Frankton Road (SH 6A)	Panorama Terrace	
Suburb Street (South)	(State Highway 6A) Frankton Road	Veint Crescent	
Templeton Way	Memorial Street	End of Bridge at carpark	
Windsor Place	Edinburgh Drive	London Lane	
York Street	Hallenstein Street	Edinburgh Drive	
Glenorchy-Paradise Road	50km sign Mull Street	Priory Road Routeburn Road Oban Street	
Glenorchy-Routeburn Road	Swamp Road		
Mull Street	50km sign Glenorchy/ Paradise Road		
Priory Road	Glenorchy-Paradise Road	Glenorchy Routeburn Road	
Routeburn Road	Glenorchy-Routeburn Road	End of Kinloch Routeburn	
Wānaka Urban			
Allenby Place reserve	Ballantyne Road	WRC junction	
Ardmore Street	Roundabout	MacDougall Street	
Aubrey Road	Beacon Point Road	Outlet Road	
Ballantyne Road	Faulks Road	State Highway 84	
Beacon Point Road	Lakeside Road	End of Seal Penrith Park Drive	
Cliff Wilson Street	Reece Crescent	Plantation Road	
Dungarvon Street	Ardmore Street	Brownston Street (West)	
Dunmore Street	Dungarvon Street Helwick Street		
Frederick Street	Ballantyne Road	End of Seal	
Golf Course Road			
Gordon Road	Ballantyne Road	End of Gordon Place	
Hedditch Street	·		
Hedditch Street connection	dditch Street connection State Highway 84 Hedditch Street		
	State Highway 64	Hedditch Street	

		110 11101 0111 20
Collector Roads		
Road Name	Start Name	End Name
Kings Drive	Plantation Road	Aubrey Road
Lakeside Road	Ardmore Street	Beacon Point Road
Link Way	Anderson Road	Reece Crescent
MacPherson Street	State Highway 84	Ballantyne Road
McDougall Street	Brownston Street	Ardmore Street
Orchard Road	Cardrona Valley Road	Riverbank Road
Outlet Road	Anderson Road En	End of Seal
Penrith park Drive	Beacon Point Road	Minaret Ridge
Plantation Road	Beacon Point Road	Anderson Road
Rata Street	Aubrey Road Fo	Forest Heights
Reece Crescent	Anderson Road	Plantation Road (LHS)
Riverbank Road	Cardrona Valley Road	State Highway 6
Sargood Drive	Ardmore Street	Norman Terrace
Wānaka-Mount Aspiring Road, including Wānaka-Mount Aspiring/Sargood Drive Roundabout	MacDougall Street	End of the public road at Raspberry Flat, West Matukituki

Local Roads
All other roads


29.14 Schedule 29.2 - Interpretive Diagrams

29.14.1 Diagram 1 – B85 and B99 design vehicle dimensions



DIMENSIONS IN MILLIMETRES


B85 (85TH PERCENTILE) CAR



DIMENSIONS IN MILLIMETRES

B99 (99.8TH PERCENTILE) VEHICLE


29.14.2 Diagram 2 – Maximum Breakover Angles for Vehicle Crossings



Maximum Change of Grade: A + B \leq 10% (or 5.7°) C - D \leq 10% (or 5.7°)

B + C ≤ 17% (or 9.6°)

Low Level Footpath





Standard Footpath

Note:

- 1. A, B, C and D refer to the gradients expressed either as a percentage or in degrees.
- 2. Low slung cars with ground effect features may not meet the criteria assumed in this design guide.
- 3. Buses are permitted lower clearance value of (A+B) or 6% of 3.4°.

29.14.3 Diagram 3 - Carpark Layouts






LEGEND:

Denotes the B85 base dimension swept path
 Denotes the B85 design template which includes
 x 300 mm manoeuvring clearances only

NOTE: This is the minimum radius turn for a B85 vehicle.


Example of the B85 Design Template 5.8m Radius Turn



LEGEND:

— = Denotes the B85 base dimension swept path — — = Denotes the B85 design template which includes 2 x 300 mm manoeuvring clearances only

Example of the B85 Design Template
8.0m Radius Turn




LEGEND:

Denotes the B99 base dimension swept path
 Denotes the B99 design template which includes manoeuvring and circulation clearances, 300 mm on the inside and 600 mm on the outside

NOTE: This is the minimum radius turn for a B99 vehicle.


Example of the B99 Design Template
6.3m Radius Turn



LEGEND:

— = Denotes the B99 base dimension swept path
— — = Denotes the B99 design template which includes manoeuvring and circulation clearances, 300 mm on the inside and 600 mm on the outside

Example of the B99 Design Template
8.0m Radius Turn






DIMENSIONS IN METRES

Turning Path Template - Small Rigid Vehicle


Minimum Radius Turn (7.1m)



Turning Path Template - Medium Rigid Vehicle

Minimum Radius Turn (10m)


DIMENSIONS IN METRES




Turning Path Template - Articulated Vehicle

Minimum Radius Turn (12.5m)


29.14.5 Diagram 5 - Bicycle Parking Layout




29.14.6 Diagram 6 - Residential Vehicle Crossing




29.14.7 Diagram 7 - Commercial Vehicle Crossing






SECTION X-X


29.14.8 Diagram 8 - Access Design




29.14.9 Diagram 9 - Access Design



29.14.10 Diagram 10 - Access Design



29.14.11 Diagram 11 – Sight Distance Measurement Diagram



29.14.12 Diagram 12 – Sight Distance Measurement Diagram

